SOLICITATION, OFFER AND AWARD				-	This Contract Is A Rated Order Under DPAS (15 CFR 700) Rating DOA6					1 of 41				
2. Conti	ract No.			Solicitation N		4.	Type of So	olicitation	5. Dat	e Issued 004APR15	5	6. Requis	ition/Pu	rchase No.
7. Issue	d By		<u> </u>	Coo	ie W52P	1.T 8.	Address O	offer To (If Othe	er Than Ite	em 7)	Ţ			
HQ AFS					WJZF	10		FSC CONTRACTI		,	2			
	-CCA-R	61000					ATTN	AMSFS-CC						
ROCK .	ISLAND, IL	61299-	6000				ROCK	ISLAND, IL 6	1299-6000	0				
BLDG 3	350													
SOLICI	ITATION		NOTE:	In sealed bid s	solicitations '	offer' a	nd 'offero	r' mean 'bid' an	ıd 'bidder'	·.				
	ed offers in o			igned c	opies for fur	nishing	the suppli	es or services in	the Sched	ule will b	e rece	ived at the		
				ried, in the dep		ted in _	AMSFS-	-CC BLDG 350	CONTRAC	CTING CT	TR.			until
03:001	(r) local		04MAY14	(Date).	G 4	T D		T		ee		4.4	
	- Late Submi ns contained				iarawais: Se	ee Sectio	n L, Provi	sion No. 52.214	-7 or 52.21	15-1. All	oners	are subjec	t to all te	erms and
	Information	in uns s		TZI WAGNER					Telen	hone No	(Incl	ıde Area C	ode) (NC	Collect Calls)
Call				ddress: WAGNE	ERM@OSC.ARM	MY.MIL			_	782-46		iuc mica c	<i>(110</i>	Concer Cans)
			2	<u> </u>	3141000011114		Table Of C	Contents	(30)	7,02 10	<u> </u>			
(X)	Section		De	escription		Page(s)	(X)	Section		Des	scription	on		Page(s)
` ′		Pa	rt I - The S	Schedule	,	<u> </u>	` '		Part	II - Cont	ract C	lauses		<u> </u>
Х	A	Solicit	ation/Cont	ract Form		1	Х	I	Contract (Clauses				24
Х	В	Suppli	es or Servi	ices and Price	s/Costs	3		Part III - List	Of Docum	nents, Ex	hibits,	And Othe	r Attach	ments
X	C	Descri	ption/Spec	s./Work State	ment	6	X	J	List of Att	achment	s			30
X	D	Packag	ging and M	Iarking		12		Par	t IV - Rep	resentati	ons Aı	nd Instruct	ions	
X	E		tion and A			13	x		-			ations, and		31
X	F		ries or Per			21		+	Other Stat	tements o	f Offe	rors		
77	G			istration Data		0.0	X					es to Offer	ors	36
X	H	Specia	l Contract	Requirement	S	22	Х	M	Evaluation	1 Factors	for A	ward		40
					OFFER	(Must b	e fully cor	npleted by offer	or)				FMS RE	EQUIREMENT
NOTE:	Item 12 does	not api	ply if the so	olicitation inc	ludes the pro	visions	at 52.214-1	l6, Minimum Bi	d Accepta	nce Peri	od.			
								ithin cale				ov a unloca	a diffor	nt noried is
inserted	by the offero	r) from	the date f		ffers specific	ed above	e, to furnis	h any or all iten						
	ount For Pro													
	tion I, Clause			The offeror ac	lmowlodges		Amondmo	ent Number	Date		Amone	lment Nun	abon	Date
	_			on for offerors	_		Amename	ant Number	Date		Amend	illient Nun	ibei	Date
	nts numbered			on for offerors	s and refated	·								
	ntractor/Off			Code	Faci	ility		16 Name an	d Title of l	Person A	uthori	zed to Sigr	Offer (Type or Print)
13A. Co	miracion/On	cror/Qt	uotei	couc	raci	ty		10. Name and	u Titic of i	i Cison A	umori	zeu to sigi	Office (type of Time)
15B. Te	lephone Nun	ber (In	clude	15C. Check	if Remittan	ce Addr	ess is	17. Signature	;			1	8. Offer	Date
Ar	rea Code)			_	rent From B									
				Furni	sh Such Add	lress In	Offer							
				•	AWAR	D (To be	e complete	d by Governme	nt)					
19. Acce	epted As To l	tems N	umbered		20. Amount		21. Acco	ounting And Ap	propriatio	n				
22 441	b	: O41	Th T	S-11 A-1 O-1	C		22 Ch-	nit Invoices To	A J J C'	b T		T4.		
	nority For US J.S.C. 2304(c)	_		Tull And Open 41 U.S.C. 2	_	n:)		opies unless oth					em	
24. Administered By (If other than Item 7) Code					25. Payment Will Be Made By Code					Code				
24. Hun	minstered by	(II Oth	ci than itc	<i>1)</i>										
SCD	PAS			ADP P	T									
26. Nan	ne of Contrac	ting Of	ficer (Type	e or Print)			27. Unit	ed States Of An	nerica			28	. Award	Date
								(Signature of 4	Contracti	og Office	r)	_		
							1	(Signature of C	ontractin	ig Officei	r)	I		

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 2 of 41 REPRINT

Name of Offeror or Contractor:

SECTION A - SUPPLEMENTAL INFORMATION

Item: M485A2 Projectile Metal Parts (MPTS)

NSN: 1320-01-065-9856

- 1. This Request for Proposal (RFP) is for a quantity of 2822 each M485A2 Projectile MPTS, Part Number 9214142, on an F.O.B. Destination basis, with first article approval and contains a 350% evaluated option.
- 2. This RFP is restricted to U.S. and Canadian sources under the authority of 10 USC 2304 (c)(3). Offerors are cautioned that the requirement must be manufactured in the U.S. or Canada to include forging and heat treatment. Proposals must be submitted in U.S. Dollars
- 3. The Technical Data Package (TDP) is classsified as "Distribution A" and is available for downloading from the AFSC website or from the Federal Business Opportunities (FedBizOpps)at http://www.fedbizopps.gov/
- 4. The following items are provided as Government Furnished Material (GFM):

Shock Attenuating Lifting Plug, NSN: 1320-01-108-7820, Qty: 2,822

Grommet, NSN: 8140-01-051-9953, Qty: 2,822

- 5. A pre-award survey will be conducted to determine capability.
- 6. Award will be made to the offeror who is determined capable and has the lowest price.
- 7. Offerors should note the provision at AFAR 52.215-1, "Instructions to Offerors Competitive Acquisition". The Government intends to award a contract resulting from this RFP without discussions with offerors (except clarifications described in FAR 15.306(a)). Therefore, offerors initial proposals should contain the best terms. The Government does however, reserve the right to conduct discussions if determined necessary by the procuring contracting officer.
- 8. Offerors are directed to the provision in Section L regarding Central Contractor Registration (CCR). Failure to register in the CCR will preclude an offeror from receiving an award under this solicitation.

*** END OF NARRATIVE A 001 ***

For Local Clauses See: http://www.osc.army.mil/ac/aais/ioc/clauses/index.htm

	Regulatory Cite	Title	Date
n 1	52.252-4500	FILL MENT OF MODO	SEP/1997
A-1		FULL TEXT CLAUSES	SEP/199/
	I.OCAI.		

- 1. This contract incorporates one or more clauses and provisions by reference, with the same force and effect as if they were set forth in full text. Upon request the Contracting Officer will make their full text available.
- 2. The entire body of full text regulatory and command unique clauses and provisions will no longer be included in solicitations or contracts. These clauses and provisions have the same force and effect as if the entire full text was included in the solicitation/contract. Where text has been incorporated by reference three astericks are put in its place (***).
- 3. You can view or obtain a copy of the clauses and provisions on the internet at: www.osc.army.mil/ac/aais/ioc/clauses/index.htm. Click on command unique first to locate the clause. If it is not located under command unique click on regulatory to find.
- 4. All full text clauses have a 6 or 7 as the third digit of the clause number (i.e. AS7000).

(End of clause)

(AS7001)

Reference No. of Document Being Continued PIIN/SIIN $\mbox{W52P1J-04-R-0117}$ MOD/AMD

Page 3 of 41 REPRINT

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SECTION B - SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	M485A2 PROJECTILE MPTS	2822	EA	\$	\$
	NSN: 1320-01-065-9856 FSCM: 19203 PART NR: 9214142 SECURITY CLASS: Unclassified				
0001AA	FIRST ARTICLE				
	NOUN: M485A2 PROJECTILE MPTS				
	Packaging and Marking				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin Government Approval/Disapproval Days: 45				
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 3 DEL REL CD QUANTITY DAYS AFTER AWARD 001 1 0120				
	FOB POINT: Destination				
	SHIP TO: <u>PARCEL POST ADDRESS</u> (Z55555) SEE SECTION E				
0001AB	PRODUCTION QUANTITY				
	NOUN: PMPTS M485A2 ILLUM 03 FMS PRON: J53B0A49M2 PRON AMD: 02 AMS CD: WGR001 CUSTOMER ORDER NO: J53M4951DC01 FMS CASE IDENTIFIER: SI-B-WGR				
	Packaging and Marking				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				

Reference No. of Document Being Continued PIIN/SIIN W52P1J-04-R-0117 MOD/AMD

Page 4 of 41 REPRINT

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W52P1J3058A710 W90Y63 M 3 DEL REL CD QUANTITY DEL DATE 001 2,124 30-MAR-2005				
	FOB POINT: Destination				
	SHIP TO: PARCEL POST ADDRESS (W90Y63) SR W0K4 USA PINE BLUFF ARS ARMY PA FUNDED ACCT BLDG 23 310 10020 KABRICH CIRCLE PINE BLUFF AR 71602-9500				
0001AC	PRODUCTION QUANTITY NOUN: PROJECTILE MPTS M485A2				
	PRON: HH4B0074M2 PRON AMD: 01 AMS CD: 41373102017				
	Packaging and Marking				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W52P1J4068A710 W90Y63 J 3 DEL REL CD QUANTITY DEL DATE 001 698 30-APR-2005				
	FOB POINT: Destination				
	SHIP TO: PARCEL POST ADDRESS (W90Y63) SR W0K4 USA PINE BLUFF ARS ARMY PA FUNDED ACCT BLDG 23 310 10020 KABRICH CIRCLE PINE BLUFF AR 71602-9500				
0002	DATA ITEM			\$_ ** NSP **	\$_ ** NSP **
	NOUN: DD FORM 1423 REQUIREMENT SECURITY CLASS: Unclassified				

Reference No. of Document Being Continued PIIN/SIIN \$952P1J-04-R-0117 MOD/AMD

Page 5 of 41
REPRINT

TEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	The contractor will prepare and deliver				
	the technical data in accordance with the				
	requirements, quantities and schedules set forth in the Contract Data Requirements				
	List (DD Form 1423), Exhibit A.				
	BISC (DD FOIM 1425), EMILDIC A.				
	(End of narrative B001)				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	INSPECTION. OFIGIN ACCEPTANCE. OFIGIN				
	1			1	1

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 6 **of** 41

REPRINT

Name of Offeror or Contractor:

SECTION C - DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

For Local Clauses See: http://www.osc.army.mil/ac/aais/ioc/clauses/index.htm

	<u>Regulatory Cite</u>	<u> Title</u>	Date	
C-1	52.210-4501	DRAWINGS/SPECIFICATIONS	MAR/1988	
	T.OCAT.			

In addition to the drawing(s) and/or specifications listed below, other documents which are part of this procurement and which apply to Preservation/Packaging/Packing and Inspection and Acceptance are contained elsewhere.

The following drawing(s) and specifications are applicable to this procurement.

Drawings and Specifications in accordance with enclosed Technical Data Package Listing - TDPL 9214142 with revisions in effect as of 28 May 03 (except as follows):

The following engineering changes apply to this procurement action:

Product drawings and associated documents with Distribution ADD: Distribution Statement "C".

Under the packaging drawings, the following drawings to not apply to the M485A2:

12912918 9297888 9321273 9369960 9370061 parts list 9390744

Use wood plug 9313730 for shipping M485A2 metal parts to LAP

Drawing 9340744 delete the first vendor: Loctite Corp. Part No. 12306RP705

TDPL:

DRAWING DELETE REPLACE WITH
9370062 ASTM A366 --8837839 Sh 1 UU-T-81 --9214142 MIL-M-6867 ASTM E1444
9214144 MIL-P-20464 --9321273 X

Delete spec FF-N-105 on 9390744 which is not used for the M485A2

Packaging drawings and associated documents with Distribution ADD: Distribution "A" Approved for Public Release; Distribution is Unlimited.

Inspection drawings ADD: Distribution Statement "A"

The following paragraph specified Recycle Content requirements for selected packaging materials:

"The Comprehensive Procurement Guideline (CPG) requirements shall be included in this contract. The CPG program includes a listing of EPA Categories and Designated Items that must contain specified amounts of recovered/recycled materials. Detailed and updated information pertaining to the CPG program can be found at <http://www.epa.gov/cpg/>. Packaging materials must either meet or exceed the CPG unless otherwise specified".

All Drawings to be Distribution "C"

On Drawing 9214142: DELETE: Fuzible Lifting Plug 9215390

ADD: Universal Lifting Plug 9345325

Note 7 stripe applied in accordance with Drawing 12997579-4.

Note 10 anti seize compound 9340744 applied to Body Threads only

Note 14 DELETED

In Zone E-4, revise from 6.095 Max Ref to 6.097 Max Ref.

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 7 **of** 41

REPRINT

Name of Offeror or Contractor:

On Drawing 9362659: In Zone B-5 and G-8, revise from 6.095 Max to 6.097 Max. Revise Note 6 to read: "6-Protective Finish: Prepare all surfaces in accordance with finish 5.1.1 (zinc phosphate base, TT-C-490, Type I) per spec MIL-STD-171. Interior surfaces: Apply primer, drawing 12991256, in accordance with MIL-STD-171 to all interior surfaces, except threads and surface "B". Alternative: Ammunition topcoat IAW drawing 12997579-1, olive drab color #34088 of FED-STD-595 and MIL-STD-171. Coating thickness 0.9 mil min. Overspray permitted on surface "B" (press fit diameter) not to exceed one eighth inch. Exterior surfaces: Prior to assembly of grommet and universal lifting plug assembly coat exterior surfaces except for the rotating band and surfaces "C" and "D" with two coats of ammunition topcoat IAW drawing 12997579-1, olive drab color #34088 of FED-STD-595 and MIL-STD-171. Coating thickness of each coat shall be 0.9 mil min. if the combined two coat thickness exceeds 2.5 mil. The maximum material condition must be controlled to permit passage of a maximum diameter ring gage (6.097 max) after application of final protective coating. Projectile shall have a surface temperature of 100-140 degrees F at the time of coating. Initial coat shall be set to touch (approx 2-4 minutes) prior to topcoating. Coating shall overlap leading edge of rotating band not to exceed one eighth inch. Immediately after coating, projectile shall be baked for a minimum of 30 minutes at a temperature of 225 +/- 25 degrees F and shall be stored for a minimum of 24 hours prior to shipping. Coating must withstand a 96 hour exposure to 5% salt spray per ASTM B117. The requirements of TT-C-490 apply regardless of the pretreatments used."

ADD Note 9: "Apply corrosion preventative compound, grade 5, spec MIL-C-16173 to surfaces "B, C and D".

On Drawing 9214143: Replace spec MIL-I-6868 with ASTM E1444.

On Drawing 9214146 revise Note 6 to: "6 - Prepare all surfaces in accordance with finish 5.1.1 (zinc phosphate base, TT-C-490, Type I) of spec MIL-STD-171. Base plug shall have a surface temperature of 100-140 degrees F at time of coating. Apply two coats of ammunition topcoat IAW drawing 12997579-1, color number 34088 (olive drab) of Fed-Std-595 and MIL-STD-171 to indicated surfaces (interior surface "A" may have one or two coats). Coating thickness of each coat shall be 0.9 mil min. and the combined two coat thickness shall be 2.5 mil max. Initial coat shall be set to touch (approx 2-4 minutes) prior to topcoating. Immediately after coating, base plug shall be baked for a minimum of 30 minutes at a temperature of 225 +/- 25 degrees F and stored for a minimum of 24 hours prior to shipping. Exterior surface coating must withstand a 96 hour exposure to 5% salt spray per ASTM Bl17. The requirements of TT-C-490 pertaining to painted items apply regardless of the pretreatments used."

DELETE Note 9. ADD new Note 9: "9 - Apply a light coat of corrosion preventative compound, grade 5, spec MIL-C-16173 to indicated surfaces. Note 6 applies to exterior surface and surface "A". Note 9 applies to underside of flange and press fit surface.

QE inputs: All references to DRSMC-QAR-Q or QAR-I replace with AMSTA-AR-QAA-R. MIL-P-48043 paragraph 4.4.2 subparagraph a. delete MIL-STD-1235 and MIL-STD-105 and replace with MIL-STD-1916. Inspect all Majors at Level IV and all Minors at Level II of MIL-STD-1916. Replace MIL-STD-410 with NAS-STD-410. Replace MIL-I-6868 with ASTM E1444. Delete last sentence of paragraph 4.5.6.3.

(End of clause)

(CS6100)

C-2 52.246-4506 STATEMENT OF WORK FOR STATISTICAL PROCESS CONTROL LOCAL

FEB/1999

In accordance with DI-MGMT-80004 and contract clause 52.246-4506, the following supplemental information shall be considered and used when designing your general and detailed SPC plans.

1.0 General Management Plan

This section shall define management's SPC responsibilities and involvement and shall include management's commitment to continuous process improvement. The plan shall embrace a total commitment to quality and shall be capable of standing on its own merit.

- 1.1 Policy/Scope: Describe the Contractor's policy for applying SPC, including goals and management commitment to SPC.
- 1.2 Applicable Document: List documents that are the basis for the contractor's SPC program (i.e., ANSI standard, textbooks, Government documents).
- 1.3 SPC Management Structure: Define the SPC management structure within the organization. Identify and include interrelationships of all departments involved in SPC (i.e., Production, Quality, Engineering, Purchasing, etc.). Identify by job title or position all key personnel within departments involved in the application of SPC. Describe which functions are performed by key personnel and when these functions are performed (i.e., include personnel responsible for performing inspections/audits, charting and interpreting data; personnel responsible for determining, initiating and implementing corrective action upon detecting assignable causes, etc.).
- 1.4 SPC Training: Identify by job title or position the primary individual responsible for overseeing that SPC training is accomplished. Describe the qualification program required and in use for all personnel utilizing SPC techniques, including the qualification of trainers. Identify who is to be trained and the type, extent and length of such training (i.e., on-the-job, classroom,

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 8 of 41

Name of Offeror or Contractor:

- etc.). Identify when refresher training is required and how personnel using SPC techniques are monitored.
- 1.5 Manufacturing Controls: Identify the criteria for performing SPC gage capability studies and describe how and when these studies should be applied. Repeatability and accuracy of gages should be addressed.
- 1.6 Determination of SPC Use: Describe how the process/operation parameters are determined appropriate for SPC application and explain what actions are taken if SPC is not deemed appropriate for critical, special and major process/operation parameters (i.e., Pareto analysis, analysis of characteristics with tight tolerances, etc.).
- 1.7 Process Stability and Capability:
- a. Identify the criteria for performing process capability studies and describe how and when these studies are applied. Describe how the process capability index is calculated and include the frequency of these calculations. Describe what actions are taken as methodologies when process capability is for variable and attribute data. To determine a capable process, the process/operation parameters shall meet the following requirements:
- (1) Variable data: Process capability (Cp) shall be determined. Process performance index shall be greater than or equal to 1.33 (Cpk). For critical parameters/characteristics, the process performance index shall be greater than or equal to 2.0 (Cpk).
- (2) Attribute data: Process capability/performance shall be the percent beyond the upper/lower specification limit less than or equal to .003 percent (Cpk = 1.33).
- b. Describe what actions will be taken if process/operation is sub-marginal or marginal (Cpk less than 1.33 or 2.0 for criticals or grand average fraction defective is greater than .003 percent).
 - c. Include analysis of statisical distributions and define all formulas and symbology utilized.
- 1.8 Control Chart Policy:
- a. Type of charts to be used (i.e., x bar/R x bar/S, etc.) and rationale for use; the criteria for selection of sample size, frequency of sampling and rational subgroups.
 - b. Procedures for establishing and updating control limits, including frequency of adjustments.
- c. Criteria for determining out-of-control conditions (i.e., trends, points beyond control limits, etc.) and the corrective action taken, to include failure analysis when the process is unstable or when nonconforming product has resulted from unstable processes. Illustrate out-of-control tests.
- d. Describe the method of recording pertinent facts on control charts such as changes in raw materiel, machines, manufacturing methods and environment, and corrective actions taken and describe how control charts are traceable to the product.
- 1.9 Vendor/Subcontractor Purchase Controls: Identify whether suppliers are required to utilize SPC and describe the extent the vendor's policies and procedures are consistent with in-house procedures of the prime contractor. Describe the following: methods utilized to determine that suppliers have adequate controls to assure defective product is not produced and delivered; the system utilized to audit suppliers, what will be audited and how often, what action will be taken when out-of-control conditions exist at subcontractor/vendor facilities.
- 1.10 SPC Audit System: At a minimum, the contractor's SPC Audit System shall consist of auditing compliance with the planned arrangements specified in the general and detailed SPC plans followed by a review and analysis of the outcome to include implementation of necessary corrective action.
- 1.11 SPC Records: Identify various records to be used in support of SPC and describe their use. Identify retention periods.
- 2.0 Detailed Plan:

This section shall detail specific manufacturing process/operation parameters under control.

- 2.1 Control of Process/Operation Parameters or Characteristics:
 - a. Identify the following for each process/operation by name or characteristic under control:
- (1) Identify process/operation by name or characteristic and provide rationale for selection; justification for nonselection if the parameter or characteristic is identified as critical, special and/or major.

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 9 of 41 REPRINT

Name of Offeror or Contractor:

(2) Describe how the characteristic is proceduced; the chain of events, type and number of machines involved, location of manufacturing facility, tolerances maintained, etc.

(3) Production and inspection machinery used. Includ the production rate, number of shifts and length of shifts plus whether inspection is fully or semi-automatic or manual. If manual, identify the type of gages in use.

(4) Identify the type of charts to be maintained and whether the process/operation is performed in-house or subcontracted oupt; identify facility/vendor where process/operation parameters are targeted for SPC.

2.2 Reduction or Elimination of Inspection/Test: The Procuring Contracting Officer (PCO) will accept submissions of requests for reduction or elimination of final acceptance inspection/testing when the requirements of the SPC contract clause and this SOW are met. Each request shall contain and/or address the following: control charts documenting twenty (20) consecutive production shifts or more for the same process/operation parameter under control; type of control chart utilized; control chart limits and process average or grand average fraction defective (as applicable); definition of out-of-control condition and corrective actions taken during out-of-control conditions; specification and part number.

(End of statement of work)

(CS7100)

C-3 52.246-4535 STATEMENT OF T

STATEMENT OF WORK - AMMUNITION DATA CARDS

AUG/2002

Ammunition Data Cards shall be prepared in accordance with MIL-STD-1168 and shall follow the format required by the world wide web application identified as WARP or Worldwide Ammunition-data Repository Program. Additional details on WARP are provided below. Prior to gaining access to WARP contractor/facility personnel involved in the preparation of ammunition data cards shall obtain a user name and password for the Army Electronic Product Support (AEPS) network. Instructions and help for obtaining access to AEPS are provided below:

AEPS Access Procedures

The Army Electronic Product Support (AEPS) is a Department of Defense logistics website. Entering AEPS will allow you access to the SECURED AREA of the Army Electronic Product Support Network. A username and password are required to enter this area. Only authorized DoD personnel and contractors with current active contracts with DoD will receive access into the AEPS website. If you have a requirement for the AEPS website, you must fill out and submit the AEPS Access Request Form found at the following web address:

http://aeps.ria.army.mil/aepspublic.cfm

You must click on "Access Request Form" and continue through the steps until completion and click on SUBMIT. You are required to provide a supervisor name, email and phone number if you are a DoD civilian or military. Government contractors are required to provide CAGE code, Contract Number and COR/COTR with "Government" email address. All requestors must provide their Information Assurance Security Officer's (IASO, formerly ISSO) name, email, DSN phone and commercial phone.

After submitting the request, your supervisor/COR/COTR will be emailed a copy of your request and will be asked to verify your information before a user ID will be issued. AEPS User ID and AEPS Login Name mean the same. Your supervisor must REPLY back to the email provding the following:

Approval? (YES/NO)
Supervisor Name
Supervisor E-Mail
Supervisor Phone

The COR/COTR must also provide the same information stated above in his/her REPLY plus provide the Contract Expiration Date (format - MM/DD/YYYY).

Upon notification from your supervisor/COTR, you will be emailed an AEPS User Login Name and instructions for logging into the AEPS website. You will use the AEPS password that you assigned to yourself when you filled out the access request form.

Once you gain access to the AEPS website, you can change your personal information when needed to keep your file current.

AEPS HELP-DESK and Problem Reporting Procedures

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 10 of 41

REPRINT

Name of Offeror or Contractor:

Reporting Problems - The AEPS Help Desk has several means of reporting problems:

Call 1-888-LOG-HELP (1-888-564-4357) to speak to an AEPS representative

Contact the AEPS Help-Desk at Comm. (309) 782-0699 or DSN 793-0699 or (309) 782-1426 or DSN 793-1426

Contact the AEPS Help-Desk by FAX: (309) 782-1426 or DSN 793-1426

Contact the AEPS Webmaster by Email: Webmaster (martinj2@ria.army.mil)

Each phone call, email or fax is handled in a prompt and courteous manner. Responses to problems are provided by phone and/or email.

Other means to help assist you in identifying your problems can be found on the AEPS Help Section at web link:

http://aeps/ria.army.mil/help.cfm

Here you will find Questions and Answers by clicking in either of the two FAQ subcategories reflected under the HELP tab:

FAQs - AEPS Access Request Process or SSL FAQs - Secured Socket Layer

You may also check out our new Frequently Asked Questions (https://aeps.ria.army.mil/aepsqa.cfm) page to get answers on access problems as another means of assistance.

The AEPS Help Section screen http://aeps.ria.army.mil/help.cfm also reflects two other topics that can be clicked on to provide further assistance:

"Password Problems or Request Status" at https://aeps.ria.army.mil/request/info/UserScreen.cfm
"Ask the AEPS Public Help Knowledge Base" at http://aeps.ria.army.mil/help/aepshelpmain.cfm

Worldwide Ammunition-data Repository Program (WARP)

Once you have obtained an AEPS user name and password allowing entry to the secured area of AEPS you can access the WARP application by scrolling to the bottom of the list of AEPS applications. The WARP opening main page and all subsequent pages contain multiple navigational aids to guide you through the process of inputting information necessary for creating a new ammunition data card. An online users manual will provide additional help in the development of an ammunition data card and it is recommended that you download and read the users manual prior to inputting your initial data card. The user's manual also contains screen shots, which depict wht the inputter will see during the ADC input process.

Ammunition Data Card Input

ADC input allows current contractors and government facilities the capability to create, and submit for approval, ADCs which meet the format requirement of MIL-STD-1168B. ADCs are automatically forwarded to the respective Governmental Agency Responsible for Acceptance (GARA). The GARA, in most cases the Defense Contract Management Agency (DCMA) Quality Assurance Representataive (QAR), reviews contractor input for accuracy and completeness, and after updating the disposition code for the specific lot, submits the ADC to the database. The inputter is granted access only to ADCs identified with its specific manufacturing code, as identified in MIL-HDBK-1461A, Manufacturer's Symbols. The use of previously inputted ADCs through the TEMPLATE option, significantly reduces input effort, while increasing accuracy and consistency of data.

Email Notification

WARP provides immediate, automated notification to process participants when actions are required. When the producer has completed an ADC submission, an email message is routed to the GARA advising that an ADC awaits review and approval. If the GARA approves the ADC as submitted, the ADC is released to the base and an email, with approved data card, is routed back to the originator. If the ADC requires modification or correction to be in accordance with MIL-STD-1168B requirements, an email is provided to the ADC originator advising that corrective action is required prior to approval.

Information Updates

It is important that the System Administrators are apprised when a producer receives a new contract. The producer shall notify OSC-WARP@osc.army.mil within 30 days after receipt of a new contract. Information to be included shall be the contract number, item, GARA, Manufacturer's identification symbol and the names of the individuals who will be inputting ADCs into the system. If you are a new producer and do not have a Manufacturer's identification symbol, you can obtain one by sending an email to OSC-WARP@osc.army.mil. The email must contain manufacturer's name, address where performance of the contract will take place, and a point of contact.

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 11 of 41

REPRINT

Name of Offeror or Contractor:

C-4 52.248-4502 LOCAL CONFIGURATION MANAGEMENT DOCUMENTATION

MAY/2001

The contractor may submit Engineering Change Proposals (ECPs), Value Engineering Change Proposals (VECPs) (Code V shall be assigned to an engineering change that will effect a net life cycle cost), including Notices of Revision (NORs), and Requests for Deviation (RFDs) for the documents in the Technical Data Package (TDP). The contractor shall prepare these documents in accordance with the Data Item Descriptions cited in block 04 on the enclosed DD Form 1423, Contract Data Requirements List.

Contractor ECPs/VECPs shall describe and justify all proposed changes and shall include NORs completely defining the changes to be made. Contractors may also submit RFDs, which define a temporary departure from the TDP or other baseline documentation under Government control. The contractor shall not deliver any units incorporating any change/deviation to Government documentation until notified by the Government that the change/deviation has been approved and the change/deviation has been incorporated in the contract.

If the Government receives the same or substantially the same VECPs from two or more contractors, the contractor whose VECP is received first will be entitled to share with the Government in all instant, concurrent, future, and collateral savings.

Duplicate VECPs, which are received subsequently, will be returned to the contractor(s) without formal evaluation, regardless of whether or not the first VECP has been approved and accepted by the Government.

(End of clause)

(CS7600)

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 12 of 41

REPRINT

Name of Offeror or Contractor:

SECTION D - PACKAGING AND MARKING

For Local Clauses See: http://www.osc.army.mil/ac/aais/ioc/clauses/index.htm

	Regulatory Cite	Title	Date
D-1		*** THIS REFERENCE (DA6001) IS NO LONGER VALID ***	
D-2	52.211-4508	PACKAGING REQUIREMENTS	JUL/1997

Packaging shall be in accordance with 8837839 revision BP, dated 12 Feb 2003.

When lot numbering is required, no more than one lot shall be packaged in an outer shipping container.

Marking shall be in accordance with 8837839, Rev. BP, dated 12 Feb 2003. Note M9 applies to metal parts. Bar code marking is required in accordance with 12982865, Rev. F, dated 1 Apr 2002. ECP R3K3016 and R3K3021 apply to 2D bar code marking.

EXCEPTION: Heat treat requirements for all non-manufactured wood used in packaging applies to this contract. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Protection Organization's compliance program. ECP R1K2053 applies to MIL-P-45449.

(End of clause)

(DS6303)

D-3 52.247-4517 PALLETIZATION INSTRUCTION MAR/1992 LOCAL

Palletization shall be in accordance with 8837839, revision BP, dated 12 Feb 2003.

(End of clause)

(DS6204)

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 13 of 41

Name of Offeror or Contractor:

SECTION E - INSPECTION AND ACCEPTANCE

For Local Clauses See: http://www.osc.army.mil/ac/aais/ioc/clauses/index.htm

The following Federal Acquisition Regulation (FAR), DoD FAR Supplement clauses and provisions, the full text of which will be made available upon request, are incorporated herein by reference with the same force and effect as if set forth in full text.

The text of the clauses incorporated by reference herein are available from the contract specialist indicated in block 7 of the Standard Form 33 or (as applicable) the contracting officer and will be furnished upon request. Other documents are available as indicated in the schedule.

Any company/individual wishing to purchase a copy of the Federal Acquisition Regulation (FAR), the Army FAR Supplement or the DOD FAR Supplement, may do so from the Superintendent of Documents, US Government Printing Office, Washington DC 20402

(EA7001)

	Regulatory Cite	Title	Date
E-1	52.246-2	INSPECTION OF SUPPLIES - FIXED-PRICE	AUG/1996
E-2	52.246-16	RESPONSIBILITY FOR SUPPLIES	APR/1984
- 2	50 000 4511		
E-3	52.209-4511	FIRST ARTICLE TEST (GOVERNMENT TESTING)	MAY/1994

- a. The first article shall consist of: The first article test shall be performed in accordance with MIL-P-48043A with Amendment 4 Paragraph 4.3 and Table 1; which shall be examined and tested in accordance with contract requirements, the item specification (s), the Quality Assurance Provisions (QAPS) and drawings listed in the Technical Data Package.
- b. The first article shall be delivered to: Contractor's facility. The first article shall be delivered by the Contractor Free on Board (FOB) destination except when transportation protective service or transportation security is required by other provision of this contract. If such is the case, the first article shall be delivered FOB origin and shipped on Government Bill of Lading.
- c. The first article shall be representative of items to be manufactured using the same processes and procedures as contract production. All parts and materials, including packaging and packing, shall be obtained from the same source of supply as will be used during regular production. All components, subassemblies, and assemblies in the first article sample shall have been produced by the Contractor (including subcontractors) using the technical data package provided by the Government.
- d. Prior to delivery, each of the first article assemblies, subassemblies, and components shall be inspected by the Contractor for all contract, drawing, QAP and specification requirements except for any environmental or destructive tests indicated below: NONE. The Contractor shall provide to the Contracting Officer at least 15 calendar days advance notice of the schedule date for final inspection of the first article. Those inspections which are of a destructive nature shall be performed upon additional sample parts selected from the same lot(s) or batch(es) from which the first article was selected. Results of contractor inspections (including supplier's and Vendor's inspection records when applicable) shall be verified by the Government Quality Assurance Representative (QAR). The QAR shall attach to the contractor's inspection report a completed DD Form 1222. One copy of the contractor's inspection report with the DD Form 1222 shall be forwarded with the first article; two copies shall be provided to the Contracting Officer. Upon delivery to the Government, the first article my be subjected to inspection for all contract, drawing, specification, and QAP requirements.
- e. Notwithstanding the provisions for waiver of first article, an additional first article sample or portion thereof, may be ordered by the Contracting Officer in writing when (i) a major change is made to the technical data, (ii) whenever there is a lapse in production for a period in excess of 90 days, or (iii) whenever a change occurs in the place of performance, manufacturing process, material used, drawing, specification or source supply. When conditions (i), (ii), or (iii) above occurs, the Contractor shall notify the Contracting Officer so that a determination can be made concerning the need for an additional first article sample or portion thereof, and instructions provided concerning the submission, inspection and notification of results. Costs of the first article testing resulting from production process change, change in the place of performance, or material substitution shall be borne by the Contractor.
- f. Rejected first articles or portions thereof not destroyed during inspection and testing will be held at the government first article test site for a period of 30 days following the date of notification of rejection, pending receipt of instructions from the Contractor for the disposition of the rejected material. The Contractor agrees that failure to furnish such instructions within said 30 day period shall constitute abandonment of said material by the Contractor and shall confer upon the Government the right to destroy or otherwise dispose of the rejected items at the discretion of the Government without liability to the Contractor by reason of such destruction or disposition.

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 14 of 41

REPRINT

Name of Offeror or Contractor:

(End of clause)

(ES6033)

E-4 52.246-11 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT

FEB/2004

- (a) Definition. "Contract date", as used in this clause, means the date set for bid opening; or if this is a negotiated contract or a modification, the effective date of this contract or modification.
 - (b) The Contractor shall comply with:
 - (X) ISO 9002
 - () ISO 9001-2000; only design/development exclusions permitted
 - () ISO 9001-2000; no exclusions permitted

or an alterate program/system approved by the activity listed in block 7 of the Standard Form 33, in effect on the contract date and which is hereby incorporated into this contract.

(End of clause)

(ES6001)

E-5 52.246-4506 STATISTICAL PROCESS CONTROL (SPC)

MAY/1994

- a. In addition to the quality requirements of the technical data package, the Contractor shall implement Statistical Process Control (SPC) in accordance with a government accepted SPC Program Plan. Control chart techniques shall be in accordance with the American National Standards Institute (ANSI) B1, B2 and B3. Alternate SPC charting methods may be proposed and submitted to the Government for review
- b. The SPC Program Plan developed by the contractor shall consist of a general plan and a detailed plan. The plans shall be structured as delineated on the Data Item Description referenced in the DD Form 1423. The general and the detailed plans shall be submitted to the government for review per DD Form 1423 requirements. Notification by the Government of acceptance or nonacceptance of the plans shall be provided in accordance with the timeframes specified on the DD Form 1423. Once a general plan for a facility has been approved by this Command, the approval remains in effect for subsequent contracts as long as the contractual requirements remain substantially unchanged from contract to contract. Therefore, resubmission of a previously accepted general SPC plan is not required if current SPC contract clause and Data Item Description (DID) requirements are fulfilled. If this Command has previously accepted the general SPC plan under essentially the same SPC contractual requirements, so indicate by providing the Contracting Officer with the following information:

Date of Acceptance ______

Contract Number(s) _____

- c. The contractor is responsible for updating the general plan to current SPC contractual requirements. If errors or omissions are encountered in a previously accepted SPC general plan, opportunities for improvement will be identified by the Government, and corrective action shall be accomplished by the contractor.
- d. A milestone schedule will be submitted for those facilities who do not have, or have never had, a fully implemented SPC program and will not have a fully operational SPC program once production is initiated. The milestones shall provide a time phased schedule of all efforts planned relative to implementation of an SPC program acceptable to the Government. A milestone schedule shall include implementation start and complete dates for those SPC subjects addressed in the Statistical Process Control Statement of Work located in Section C. The milestone schedule shall only include those actions that can not be accomplished prior to first article or the initiation of production, if a first article is not required. Milestones shall be developed for each commodity identified for SPC application. Milestones shall be submitted through the Government Quality Assurance Representative to the Contracting Officer for review and acceptance. Any deviations from the accepted milestones, to include justification for such deviations, shall be resubmitted through the same channels for review. The Government reserves the right to disapprove any changes to the previously accepted milestones. Notification by the Government of the acceptance or nonacceptance of the milestones shall be furnished to the Contractor by the Contracting Officer.

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 15 of 41

REPRINT

- e. The Contractor shall review all process and operation parameters for possible application of SPC techniques. This review shall include processes and operations under the control of the prime contractor and those under the control of subcontractor or vendor facilities. A written justification shall be included in the detailed plan for each process and operation parameter that controls or influences characteristics identified as critical, special, or major which have been deemed impractical for the application of SPC techniques. A pamphlet on application of SPC for short production runs is available through the Contracting Officer.
- f. Statistical evidence in the form of control charts shall be prepared and maintained for each process or operation parameter identified in the detailed plan. These charts shall identify all corrective actions taken on statistical signal. During production runs, control charts shall be maintained in such a manner to assure product is traceable to the control charts. At the conclusion of the production run, a collection of charts traceable to the product, shall be maintained for a minimum of 3 years. The control charts shall be provided to the Government for review at any time upon request.
- g. When the process or operation parameter under control has demonstrated both stability and capability, the Contractor -1- request, in writing, through Administrative Contracting Officer (ACO) and Contracting Officer (CO) channels to the Product Assurance and Test Directorate, that acceptance inspection or testing performed in accordance with contract requirements be reduced or eliminated. Upon approval by the CO, acceptance shall then be based upon the accepted SPC plan, procedures, practices and the control charts.
- h. The Government will not consider requests for reduction or elimination of 100% acceptance inspection and testing of parameters or characteristics identified as critical in the technical data package, specifications or drawings of this contract if any one of the following conditions exist:
- (1) The existing process currently utilizes a fully automated, cost effective, and sufficiently reliable method of 100% acceptance inspection or testing for an attribute-type critical parameter or characteristic.
 - (2) The Contractor utilizes attribute SPC control chart methods for the critical parameter or characteristic.
- (3) The critical parameter or characteristic is a first order, single point safety failure mode (nonconformance of the critical parameter or characteristic in and of itself would cause a catastrophic failure).
- i. The Government will only consider reduction or elimination of the 100% acceptance inspection or test requirement for other critical parameters or characteristics if either of the following conditions are met:
- (1) The process is in a state of statistical control utilizing variable control chart methods for the critical parameter or characteristic under control and the process performance index (Cpk) is at least 2.0. The Contractor shall maintain objective quality evidence through periodic audits that the process performance index is being maintained for each production delivery.
- (2) The critical parameter or characteristic is conclusively shown to be completely controlled by one or more process or operation parameters earlier in the process, and those parameters are in a state of statistical control utilizing variable data, and the product of the probability of the conformance for each earlier parameter associated to the critical characteristic is better than or equal to a value equivalent to that provided by a Cpk of at least 2.0. The Contractor shall maintain objective quality evidence through periodic audits that the process performance indexes are being maintained for each production delivery.
- j. For characteristics other than critical, requests for reduction or elimination of acceptance inspection and testing shall be considered when the process performance index is greater than or equal to a Cpk of 1.33 for variables data. Requests shall be considered for attributes data when the percent beyond the specification limits is less than or equal to .003 (Cpk=1.33).
- k. Process or operation parameters under reduced or eliminated inspection or testing that undergo a break in production less than 6 months in length, may continue to operate under reduced or eliminated inspection or testing provided there has been no degradation below a Cpk of 1.33 (2.0 for criticals). Any break in production greater than 6 months shall require resubmission of the request for reduction or elimination of inspection or testing through the same channels cited in paragraph g above.
 - 1. Not used.
- m. Immediately following a change to a process or operation parameter under reduced or eliminated inspection, the process capability (Cp) or process performance indexes (Cpk) shall be recalculated and documented for variable data; the grand average fraction defective shall be recalculated for attribute data. If any of these values have deteriorated, immediate notification shall be made to the Government along with the associated documentation. Return to original inspection and test requirements may be imposed as stipulated in paragraph n below.
- n. The Government reserves the right to withdraw authorization to reduce or eliminate final acceptance inspection or testing and direct the Contractor to return to original contract inspection or test procedures at any indication of loss of process control or deterioration of quality.

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 16 of 41

Name of Offeror or Contractor:

(ES6034)

E-6 52.246-4530 LOCAL SUBMISSION OF PRODUCTION LOT SAMPLES (GOVERNMENT TESTING)

MAY/1994

a. A lot acceptance test sample is required to be submitted by the Contractor from each production lot tendered to the Government for acceptance. This sample shall consist of: The quantity shall be in accordance with MIL-P-48043A with Amendment 4 Paragraph 4.5.7.3. The description shall be in accordance with MIL-P-48043A with Amendment 4 Paragraphs 4.5.7, 4.5.7.1 and 4.5.7.2. The sample units shall be delivered by the Contractor Free on Board (FOB) destination, except when transportation protective service of transportation security is required by other provision of this contract. When such is the case, the sample units shall be delivered FOB origin and shipped to the test facility identified below on a Government Bill of Lading for the following tests:

TEST: Excess Pressure and Service Pressure per MIL-P-48043A with Amendment 4

REQUIREMENTS: MIL-P-48043A with Amendment 4 and NOR #R8Q2036 Paragraphs 3.9, 3.9.1 and 3.9.2

SAMPLE SIZE: Excess Pressure = Normal - Qty 5; Reduced - Qty 2

Service Pressure = Normal - Qty 3; Reduced - Qty 2

TEST FACILITY: To Be Determined

b. When the production lot sample consists of components parts which require uploading at a Government Load, Assemble, and Pack (LAP) facility, and a shipping address is provided below, the contractor shall ship the sample units as specified above directly to the LAP facility. The LAP facility, upon completion of the uploading, will be responsible for shipping the samples to the tests facility indicated above in paragraph a.

LAP FACILITY: To Be Determined

- c. The sample units shall be randomly selected from the entire lot by or in the presence of the Government Quality Assurance Representative. Unless otherwise specified, the sample units are considered to be destructively tested and are in addition to the units deliverable under the contract.
- d. Prior to selection of the sample units, the lot shall have been inspected to and meet all other requirements of the contract. A sample shall not be submitted from a lot rejected for nonconformance to the detailed requirements of the specifications) and drawing(s) unless authorized by the Contracting Officer.
- e. Unless authorized by the Contracting Officer, the lot from which the samples are drawn shall not be shipped until official notification has been provided by the Contracting Officer that the tested units have satisfactorily met the established requirements. Final acceptance of the lot shall not proceed until such notification has been provided.
- f. If the production lot sample contains samples for ballistic testing, the test samples shall be identified as such on the outer packs and the applicable Ballistic Test Request (BTR) number shall be stenciled on all outer packs and included on all shipping documents.
- g. The Contracting Officer shall by written notice to the Contractor within 45 days after receipt of the sample units by the government, approve, disapprove, or conditionally approve the lot acceptance sample.
- h. If the production lot sample fails to meet applicable requirements, the Contractor may be required at the option of the Government, to submit an additional production lot test sample for test. When notified by the Government to submit an additional production lot test sample, the Contractor shall at no additional cost to the Government make any necessary changes, modifications, or repairs and select another sample for testing. The additional test sample shall be furnished to the Government under the terms and conditions and within the time specified in the notification. The Government shall take action on this test sample within the time limit specified in paragraph g above. All costs associated with the additional testing shall be borne by the Contractor.
- i. If a ballistic test sample fails to meet contractual performance or functional requirements, the Contractor shall reimburse the Government for transportation costs associated with the failing sample, including the cost of transportation protective service and transportation security requirements when such security is required by other provision of this contract. An exception to this requirement for reimbursement of Government transportation costs will occur if the Government determines that the functional test samples failed to meet contractual performance requirements through no fault of the contractor.
- j. If the Contractor fails to deliver any production lot test sample(s) for test within the time or times specified, or if the Contracting Officer disapproves any production lot test sample(s), the Contractor shall be deemed to have failed to make delivery within

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 17 of 41

REPRINT

Name of Offeror or Contractor:

the meaning of the Default clause of this contract. Therefore, this contract may be subject to termination for default. Failure of the Government in such an event to terminate this contract for default shall not relieve the contractor of the responsibility to meet the delivery schedule for production quantities.

k. In the event the Contracting Officer does not approve, conditionally approve, or disapprove the production lot test sample(s) within the time specified in paragraph g above, the Contracting Officer shall equitably adjust the delivery or performance dates, or the contract price, or both, and any other contractual provision affected by such delay in accordance with the procedures provided in the Changes clause. Failure to agree to any adjustment shall be a dispute concerning a question of the fact within the meaning of the clause of this contract entitled Disputes.

(End of Clause)

(ES6035)

E-7 52.245-4545 MIL-STD-1916

OCT/2000

LOCAL

The Department of Defense (DoD) Preferred Methods for this Acceptance of Product, MIL-STD-1916, shall be used for this procurement action. All references to MIL-STD-105, MIL-STD-414, MIL-STD-1235, and ANSI Z1.4 appearing in the Technical Data Package (TDP) are replaced by MIL-STD-1916. Verification Levels (VL) shall replace AQLs and shall be VL IV for major characteristics and VL II for minor characteristics.

(End of clause)

(ES7650)

E-8 52.246-4511 QUALITY MANAGEMENT SYSTEM

AUG/1999

- a. The contractor shall have a documented quality management system that prevents the manufacture of nonconforming material as well as ensures continuous process improvement. All functions/operations affecting product quality shall be considered when designing the QMS. The design of the QMS will consistently assure robust product quality and assure technical product/service requirements are met through the implementation of, but not limited to, the following elements:
 - (1) initial quality, process, product and failulre mode and effects analysis planning
 - (2) process controls; statistical techniques and other preventive measures
 - (3) configuration management of documents and data
 - (4) internal quality audit
 - (5) root cause corrective action
 - (6) calibration system assuring the accuracy, effectiveness, and repeatability of all inspection, measuring and test equipment
- b. If requested, the contractor shall make available to the government the name of a recognized quality management system or provide a written description of the QMS to be employed during the performance of this contract. A QMS that focuses on continuous improvement and total quality commitment is desired and can be demonstrated by attaining certification through the AMC Contractor Performance Certification Program (CP2).
- c. Quality records shall be maintained and serve as objective evidence relative to the effectiveness of the contractor's QMS.

(End of clause)

(ES7645)

E-9 52.246-4528 REWORK AND REPAIR OF NONCOMFORMING MATERIAL

MAY/1994

- a. Rework and Repair are defined as follows:
- (1) Rework The reprocessing of nonconforming material to make it conform completely to the drawings, specifications or contract requirements.
- (2) Repair The reprocessing of nonconforming material in accordance with approved written procedures and operations to reduce, but not completely

eliminate, the nonconformance. The purpose of repair is to bring nonconforming material into a usable condition. Repair is

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 18 of 41

REPRINT

Name of Offeror or Contractor:

distinguished from rework in that

LOCAL

the item after repair still does not completely conform to all of the applicable drawings, specifications or contract requirements.

b. Rework procedures along with the associated inspection procedures shall be documented by the Contractor and submitted to the Government Quality Assurance

Representative (QAR) for review prior to implementation. Rework procedures are subject to the QAR's disapproval.

c. Repair procedures shall be documented by the Contractor and submitted on a Request for Deviation/Waiver, DD Form 1694, to the Contracting Officer for

review and written approval prior to implementation.

d. Whenever the Contractor submits a repair or rework procedure for Government review, the submission shall also include a description of the cause

for the nonconformances and a description of the action taken or to be taken to prevent recurrence.

e. The rework or repair procedure shall also contain a provision for reinspection which will take precedence over the Technical Data

requirements and shall, in addition, provide the Government assurance that the reworked or repaired items have met reprocessing requirements.

(End of clause)

(ES7012)

E - 1052.246.4531 ACCEPTANCE INSPECTION EQUIPMENT

MAY/1994

- a. Acquisition, maintenance, and disposition of inspection equipment shall be in accordance with ANSI/NCSL Z540-1 or ISO 10012-1.
- b. The Contractor shall provide all Acceptance Inspection Equipment (AIE) (except for any equipment listed as available in Section H and/or in Appendix I of this contract) necessary to assure conformance of components and end items to contract requirements. Equipment listed as available shall be furnished by the Government in accordance with the Government Property clause of this contract. Government furnished Acceptance Inspection Equipment shall not be used by the contractor or his subcontractors in lieu of work gages.
- c. All AIE shall be available for use prior to First Article submission, if First Article is required, or prior to initiation of production under this contract.
- d. Contractor furnished AIE shall be made (i) in accordance with the equipment drawings specified in Section C description/specifications section), or (ii) in accordance with any other design, provided that the design documentation is approved by the Government. AIE designs utilized for inspection of characteristics that are classified as Minor require approval by the Government Quality Assurance Representative (QAR). AIE design documentation for inspection of characteristics listed as Critical, Special, or Major shall be submitted to the Government for review and approval in accordance with the Contract Data Requirements List, DD Form 1423.
- e. Resubmission of AIE design documentation for approval on a follow on contract is not required provided inspection characteristic parameters) specified in the current technical data package and the previously approved AIE design documentation remain unchanged. The contractor shall provide the contract number and identify previously approved AIE documentation that meets the above prerequisites.
- f. The Government reserves the right to disapprove at any time during performance of this contract, use of any AIE not meeting the requirements of the approved design documentation.

(End of clause)

(ES7010)

E - 1.152.246-4532 DESTRUCTIVE TESTING LOCAL

MAY/1994

- a. All costs for destructive testing by the Contractor and items destroyed by the Government are considered as being included in the contract unit price.
- b. Where destructive testing of items or components thereof is required by contract or specification, the number of items or components required to be destructively tested, whether destructively tested or not, shall be in addition to the quantity to the

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 19 of 41

REPRINT

Name of Offeror or Contractor:

delivered to the Government as set forth in the Contract Schedule.

- c. All pieces of the complete First Article shall be considered as destructively tested items unless specifically exempted by other provisions of this contract.
- d. The Contractor shall not reuse any components from items used in a destructive test during First Article, lot acceptance or inprocess testing, unless specifically authorized by the Contracting Officer.
- e. The Government reserves the right to take title to all or any items or components described above. The Government may take title to all or any items or components upon notice to the Contractor. The items or components of items to which the Government takes title shall be shipped in accordance with the Contracting Officer's instructions. Those items and components to which the Government does not obtain title shall be rendered inoperable and disposed of as scrap by the Contractor.

(End of clause)

(ES7011)

E-12 52.246-4550 CRITICAL CHARACTERISTICS

FEB/2004

LOCAL.

- a. The contractors processes shall be designed to prevent the creation or occurrence of critical nonconformances. The contractor shall establish, document and maintain specific procedures, work and handling instructions and process controls relating to any critical
- b. The contractor shall assure his critical processes are robust in design such that product and performance are relatively insensitive to design and manufacturing parameters. A robust design anticipates changes and problems. Robust processes shall be designed to yield less than one nonconformance in one million.
- c. An inspection/verification system shall be employed that will verify the robustness of your critical processes. Maximum use should be made of automated inspection equipment to accomplish verification of product quality. Mistake proofing techniques of your material handling and inspection systems are encouraged.
- d. Previous Practices/Special Characteristics. As a result of previous practices, the governments technical data may refer to Critical (not annotated with I or II) and Special characteristics. Characteristics classified as Critical (not annotated with a I or II) shall be subject to all requirements herein associated with Critical (I) characteristics and level I Critical nonconformances. Unless otherwise stated in Section C, characteristics classified as Special shall be subject to all requirements herein associated with Critical (II) and Level (II) Critical nonconformances.
- e. Contractor Identified Critical Characteristics List (CICCL). Not including critical characteristics defined in the governments technical data (drawings, specifications, etc.), the contractor shall identify and document all material, component, subassembly and assembly characteristics whose nonconformances may result in hazardous or unsafe conditions for individuals using, maintaining or depending upon the product. All additional critical characteristics identified by the contractor shall comply with the critical characteristic requirements of the technical data package, supplemented herein. The contractors additional critical characteristics shall be classified as Critical (I) or Critical (II), and shall be reviewed and approved by the procuring activity prior to manufacturing (DI-SAFT-80970A). The following definitions are provided.
- Level I critical nonconformance. A nonconformance of a critical characteristic that judgment and experience indicate would result in hazardous or unsafe conditions for individuals using, maintaining or depending upon the product; or a nonconformance that judgment and experience indicate would prevent performance of the tactical function of a weapon system or major end item. The following (as a minimum) are classified as Level I critical nonconformances:
 - (1) A nonconformance that will result in a hazardous or unsafe condition (often referred to as a single point failure).
 - (2) A nonconformance that will remove or degrade a safety feature (such as those in a safe and arm device or fuzing system).
 - (3) A nonconformance that will result in violation of mandatory safety policies or standards.
- Level II critical nonconformance: A nonconformance of a critical characteristic, other than Level I. This includes the nonconformance of a characteristic that judgment and experience indicate may, depending upon the degree of variance from the design requirement, the presence of other nonconformances or procedural errors,:
 - (1) result in a hazardous or unsafe conditions for individuals using, maintaining or depending upon the product, or
 - (2) prevent performance of the tactical function of a major end item.
- f. In the event that a Critical nonconformance is found anywhere in the production process, the contractor, as part of his quality system, shall have procedures in place to ensure:
- (1) The nonconformance is positively identified and segregated so that there is no possibility of the item inadvertently reentering the production process. This control shall be accomplished without affecting or impairing subsequent defect analysis.
- (2) The operation that produced the defective component or assembly and any other operations incorporating that component or assembly is immediately stopped.
- (3) The government is immediately notified of the critical nonconformance (telephonically and electronic mail.)(DI-SAFT-
- (4) Any suspect material (material in process that may contain the same defect) is identified, segregated and suspended from any further processing.
 - (5) An investigation is conducted to determine the cause of the deficiency and required corrective actions. A report of this

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 20 of 41 REPRINT

Name of Offeror or Contractor:

investigation shall be submitted to the government (DI-SAFT-80970A). The use of the DID report shall not delay notification to the government.

- (6) A request to restart manufacturing or to use any suspect material associated with the critical nonconformance is submitted to the government (DI-SAFT-80970A). Restart of production shall not occur until the investigations are complete or upon authorization from the procuring contracting officer. All objective evidence of the investigations to date shall be available for review at the time of restart. Suspect material found to be nonconforming shall not be used without Government approval.
- g. The contractor may develop alternative plans and provisions relative to government or contractor identified Critical level (I) and Critical Level (II) characteristics. The provisions shall be submitted to the government for advanced approval and shall address the following:
 - (1) Complete explanation of potential failure mode(s) together with supporting historical and statistical data.
- (2) Pre-established plan of action (POA) to be taken when a critical nonconformance occurs and a description of controls to ensure there is no possibility of the nonconforming item inadvertently entering the production process.
 - (3) Means of tracking nonconformance rate, investigative results and corrective actions taken.
- (4) Method to immediately verify that a produced critical nonconformance is consistent with the identified failure mode(s) and does not exceed the historical nonconformance rate.

The contractor can resume production without specific government approval based upon the pre-approved alternate plans and provisions for Critical (I) characteristics and level (I) Critical nonconformances and Critical (II) characteristics and level (II) Critical

- h. If a critical nonconformance is discovered during further processing or loading, the original manufacturer who introduced the critical nonconformance shall bear responsibility for the nonconformance.
- i. The Government Quality Assurance Representative will perform the surveillance actions necessary to ensure compliance with this clause.

(End of clause)

(ES7500)

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 21 of 41 REPRINT

Name of Offeror or Contractor:

SECTION F - DELIVERIES OR PERFORMANCE

For Local Clauses See: http://www.osc.army.mil/ac/aais/ioc/clauses/index.htm

The following Federal Acquisition Regulation (FAR), DoD FAR Supplement clauses and provisions, the full text of which will be made available upon request, are incorporated herein by reference with the same force and effect as if set forth in full text.

The text of the clauses incorporated by reference herein are available from the contract specialist indicated in block 7 of the Standard Form 33 or (as applicable) the contracting officer and will be furnished upon request. Other documents are available as indicated in the schedule.

Any company/individual wishing to purchase a copy of the Federal Acquisition Regulation (FAR), the Army FAR Supplement or the DOD FAR Supplement, may do so from the Superintendent of Documents, US Government Printing Office, Washington DC 20402.

(FA7001)

	Regulatory Cite	Title	Date
F-1	52.242-17	GOVERNMENT DELAY OF WORK	APR/1984
F-2	52.247-34	F.O.B. DESTINATION	NOV/1991
F-3	52.247-48	F.O.B. DESTINATION - EVIDENCE OF SHIPMENT	FEB/1999
F-4	252.247-7023	TRANSPORTATION OF SUPPLIES BY SEA	MAY/2002
	DFARS		
F-5		*** THIS REFERENCE (FA7502) IS NO LONGER VALID ***	
F-6	52.247-4531 LOCAL	COGNIZANT TRANSPORTATION OFFICER	MAY/1993

- (a) The contract administration office designated at the time of contract award, or the office servicing the point of shipment if subsequently designated by the original office, will be the contact point to which the contractor will:
- (1) Submit, as necessary, DD Form 1659, Application for U.S. Government Bill(s) of Lading/Export Traffic Release, in triplicate at least ten days prior to date supplies will be available for shipment;
 - (2) Obtain shipping instructions as necessary for F.O.B. Destination delivery, and
- (3) Furnish necessary information for MILSTRIP/MILSTAMP or other shipment documentation and movement control, including air and water terminal clearances.
- (4) For FMS, at least ten days in advance of actual shipping date the contractor should request verification of "Ship to" and "Notification" address from the appropriate DCMAO.
 - (b) The contract administration office will provide to the contractor data necessary for shipment marking and freight routing.
- (c) The contractor shall not ship directly to a military air or water port terminal without authorization by the designated point of contact.

(End of clause)

(FS7240)

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 22 of 41 REPRINT

Name of Offeror or Contractor:

SECTION H - SPECIAL CONTRACT REQUIREMENTS

For Local Clauses See: http://www.osc.army.mil/ac/aais/ioc/clauses/index.htm

The following Federal Acquisition Regulation (FAR), DoD FAR Supplement clauses and provisions, the full text of which will be made available upon request, are incorporated herein by reference with the same force and effect as if set forth in full text.

The text of the clauses incorporated by reference herein are available from the contract specialist indicated in block 7 of the Standard Form 33 or (as applicable) the contracting officer and will be furnished upon request. Other documents are available as indicated in the schedule.

Any company/individual wishing to purchase a copy of the Federal Acquisition Regulation (FAR), the Army FAR Supplement or the DOD FAR Supplement, may do so from the Superintendent of Documents, US Government Printing Office, Washington DC 20402.

(HA7001)

H-1

Regulatory Cite Title Date

52.245-4506 GOVERNMENT FURNISHED PROPERTY OCT/1994

OSC

Schedule of Government Furnished Property

- (a) Pursuant to the Government Property clause in Section I of this contract, the Government shall furnish F.O.B. contractor's place of performance, the Government-owned property listed in attachment number 001 of this document for use in the performance of this contract.
 - (b) The property shall be delivered in accordance with the schedule set forth in attachment number 001 of this document.
- (c) If the property is not received in accordance with the schedule set forth in attachment number 001 of this document, the Contractor shall immediately notify the Contracting Officer in writing.
- (d) The quantity of Government Furnished Material (GFM) which is offered herein is contingent upon award of the total quantity solicited herein. Should the actual quantity awarded be less than the total quantity solicited, the Government retains the right to unilaterally reduce the quantity of GFM which will be provided under any resultant contract. Any said reduction shall be on a pro-rata basis.

(End of Clause)

(HS6075)

H-2 246.671 LOCAL MATERIAL INSPECTION AND RECEIVING REPORTS (DD FORM 250) JAN/1995

Material Inspection and Receiving Report (DD Form 250), required to be prepared and furnished to the Government under the clause of this contract entitled 'Material Inspection and Receiving Report', will be distributed by the Contractor in accordance with DOD FAR Supplement Appendix F, Part 4.

Send copies to:

1. Purchasing Office

Commander

U.S. Army Field Support Command ATTN: AMSFS-CCA-R / Mitzi Wagner Rock Island, IL 61299-6000 wagnerm@osc.army.mil

2. Production Management

Commander

U.S. Army Joint Munitions Command ATTN: SFSJM-CDA / Mike Farrell

Reference No. of Document Being Continued

MOD/AMD

Page 23 of 41 REPRINT

PIIN/SIIN W52P1J-04-R-0117

Name of Offeror or Contractor:

Rock Island, Il 61299-6000 farrellm@osc.army.mil

3. Send additional copies to $% \left(1\right) =\left(1\right) +\left(1\right) =\left(1\right) +\left(1\right) +\left(1\right) =\left(1\right) +\left(1\right$

(End of clause)

(HA6025)

H-3 *** THIS REFERENCE (HA7705) IS NO LONGER VALID ***

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 24 of 41

REPRINT

Name of Offeror or Contractor:

SECTION I - CONTRACT CLAUSES

For Local Clauses See: http://www.osc.army.mil/ac/aais/ioc/clauses/index.htm

	Regulatory Cite	Title	Date
I-1	52.202-1	DEFINITIONS	DEC/2001
I-2	52.203-3	GRATUITIES	APR/1984
I-3	52.203-5	COVENANT AGAINST CONTINGENT FEES	APR/1984
I-4	52.203-6	RESTRICTIONS ON SUBCONTRACTOR SALES TO THE GOVERNMENT	JUL/1995
I-5	52.203-7	ANTI-KICKBACK PROCEDURES	JUL/1995
I-6	52.203-8	CANCELLATION, RESCISSION, AND RECOVERY OF FUNDS FOR ILLEGAL OR IMPROPER ACTIVITY	JAN/1997
I-7	52.203-10	PRICE OR FEE ADJUSTMENT FOR ILLEGAL OR IMPROPER ACTIVITY	JAN/1997
I-8	52.203-12	LIMITATION ON PAYMENTS TO INFLUENCE CERTAIN FEDERAL TRANSACTIONS	JUN/2003
I-9	52.204-4	PRINTED OR COPIED DOUBLE-SIDED ON RECYCLED PAPER	AUG/2000
I-10	52.209-6	PROTECTING THE GOVERNMENT'S INTEREST WHEN SUBCONTRACTING WITH CONTRACTORS DEBARRED, SUSPENDED, OR PROPOSED FOR DEBARMENT	JUL/1995
I-11	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
I-12	52.211-15	DEFENSE PRIORITY AND ALLOCATION REQUIREMENTS	SEP/1990
I-13	52.215-2	AUDIT AND RECORDS - NEGOTIATION	JUN/1999
I-14	52.215-8	ORDER OF PRECEDENCE-UNIFORM CONTRACT FORMAT	OCT/1997
I-15	52.215-14	INTEGRITY OF UNIT PRICES (OCT 97) - ALTERNATE I	OCT/1997
I-16	52.219-8	UTILIZATION OF SMALL BUSINESS CONCERNS	OCT/2000
I-17	52.219-9	SMALL BUSINESS SUBCONTRACTING PLAN (JUN 2002) - ALTERNATE I	OCT/2001
I-18	52.219-9	SMALL BUSINESS SUBCONTRACTING PLAN	JUN/2002
I-19	52.219-16	LIQUIDATED DAMAGES - SUBCONTRACTING PLAN	JAN/1999
I-20	52.222-19	CHILD LABOR-COOPERATION WITH AUTHORITIES AND REMEDIES	JAN/2004
I-21	52.222-20	WALSH-HEALEY PUBLIC CONTRACTS ACT	DEC/1996
I-22	52.222.21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
I-23	52.222-26	EQUAL OPPORTUNITY	APR/2002
I-24	52.222-35	EQUAL OPPORTUNITY FOR SPECIAL DISABLED VETERANS, VETERANS OF THE VIETNAM ERA, AND OTHER ELIGIBLE VETERANS	DEC/2001
I-25	52.222-36	AFFIRMATIVE ACTION FOR WORKERS WITH DISABILITIES	JUN/1998
I-26	52.222-37	EMPLOYMENT REPORTS ON SPECIAL DISABLED VETERANS, VETERANS OF THE VIETNAM ERA, AND OTHER ELIGIBLE VETERANS	DEC/2001
I-27	52.223-6	DRUG-FREE WORKPLACE	MAY/2001
I-28	52.226-1	UTILIZATION OF INDIAN ORGANIZATIONS AND INDIAN-OWNED ECONOMIC ENTERPRISES	JUN/2000
I-29	52.227-1	AUTHORIZATION AND CONSENT	JUL/1995
I-30	52.227-2	NOTICE AND ASSISTANCE REGARDING PATENT AND COPYRIGHT INFRINGEMENT	AUG/1996
I-31	52.229-3	FEDERAL, STATE, AND LOCAL TAXES	APR/2003
I-32	52.232-1	PAYMENTS	APR/1984
I-33	52.232-8	DISCOUNTS FOR PROMPT PAYMENT	FEB/2002
I-34	52.232-11	EXTRAS	APR/1984
I-35	52.232-17	INTEREST	JUN/1996
I-36	52.232-23	ASSIGNMENT OF CLAIMS	JAN/1986
I-37	52.232-25	PROMPT PAYMENT	OCT/2003
I-38	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER - CENTRAL CONTRACTOR REGISTRATION	OCT/2003
I-39	52.232-38	SUBMISSION OF ELECTRONIC FUNDS TRANSFER INFORMATION WITH OFFER	MAY/1999
I-40	52.233-1	DISPUTES	JUL/2002
I-41	52.233-3	PROTEST AFTER AWARD	AUG/1996
I-42	52.242-13	BANKRUPTCY	JUL/1995
I-43	52.243-1	CHANGES - FIXED PRICE	AUG/1987
I-44	52.243-7	NOTIFICATION OF CHANGES	APR/1984
I-45	52.245-2	GOVERNMENT PROPERTY (FIXED PRICE CONTRACTS)(CLASS DEVIATION 99-00012)	JUN/2003
I-46	52.246-23	LIMITATION OF LIABILITY	FEB/1997
I-47	52.247-15	CONTRACTOR RESPONSIBILITY FOR LOADING AND UNLOADING	APR/1984
I-48	52.247-17	CHARGES	APR/1984
I-49	52.247-21	CONTRACTOR LIABILITY FOR PERSONAL INJURY AND/OR PROPERTY DAMAGE	APR/1984
I-50	52.248-1	VALUE ENGINEERING	FEB/2000
I-51	52.249-2	TERMINATION FOR CONVENIENCE OF THE GOVERNMENT (FIXED-PRICE)	SEP/1996
I-52	52.249-8	DEFAULT (FIXED-PRICE SUPPLY AND SERVICE)	APR/1984
I-53	52.253-1	COMPUTER GENERATED FORMS	JAN/1991

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 25 of 41 REPRINT

Name of Offeror or Contractor:

	Regulatory Cite	Title	Date
I-54		*** THIS REFERENCE (IA0654) IS NO LONGER VALID ***	
I-55		*** THIS REFERENCE (IA0745) IS NO LONGER VALID ***	
I-56		*** THIS REFERENCE (IA0750) IS NO LONGER VALID ***	
I-57	252.203-7001	PROHIBITION ON PERSONS CONVICTED OF FRAUD OR OTHER DEFENSE-CONTRACT-RELATED FELONIES	MAR/1999
1-58	252.203-7002 DFARS	DISPLAY OF DOD HOTLINE POSTER	DEC/1991
-59	252.204-7003 DFARS	CONTROL OF GOVERNMENT PERSONNEL WORK PRODUCT	APR/1992
-60	252.204-7004 DFARS	REQUIRED CENTRAL CONTRACTOR REGISTRATION	NOV/2003
I-61	252.205-7000 DFARS	PROVISION OF INFORMATION TO COOPERATIVE AGREEMENT HOLDERS	DEC/1991
1-62	252.209-7000 DFARS	ACQUISITION FROM SUBCONTRACTORS SUBJECT TO ON-SITE INSPECTION UNDER THE INTERMEDIATE-RANGE NUCLEAR FORCES (INF) TREATY	NOV/1995
I-63	252.209-7004 DFARS	SUBCONTRACTING WITH FIRMS THAT ARE OWNED OR CONTROLLED BY THE GOVERNMENT OF A TERRORIST COUNTRY	MAR/1998
I-64	252.225-7012 DFARS	PREFERENCE FOR CERTAIN DOMESTIC COMMODITIES	FEB/2003
I-65	252.225-7014 DFARS	PREFERENCE FOR DOMESTIC SPECIALTY METALS (APR 2003) - ALTERNATE I	APR/2003
1-66	252.226-7001	UTILIZATION OF INDIAN ORGANIZATIONS, INDIAN-OWNED ECONOMIC ENTERPRISES, AND NATIVE HAWAIIAN SMALL BUSINESS CONCERNS	OCT/2003
-67	252.231-7000 DFARS	SUPPLEMENTAL COST PRINCIPLES	DEC/1991
-68	252.242-7000 DFARS	POSTAWARD CONFERENCE	DEC/1991
-69	252.243-7001 DFARS	PRICING OF CONTRACT MODIFICATIONS	DEC/1991
-70	252.245-7001 DFARS	REPORTS OF GOVERNMENT PROPERTY	MAY/1994
-71	252.246-7000 DFARS	MATERIAL INSPECTION AND RECEIVING REPORT	MAR/2003
I-72	52 209-4	FIRST ARTICLE APPROVAL - GOVERNMENT TESTING	SEP/1989

⁽a) The Contractor shall deliver * unit(s) of Lot/Item * within ** calendar days from the date of this contract to the Government at * for first article tests. The shipping documentation shall contain this contract number and the Lot/Item identification. The characteristics that the first article must meet and the testing requirements are specified elsewhere in this contract.

* * *

* (See instructions regarding submission of First Article clause)

** (See Schedule B)

(End of clause)

(IF6003)

I-73 52.209-4 FIRST ARTICLE APPROVAL -GOVERNMENT TESTING (SEP 89) - ALTERNATE I SEP/1989 (JAN 97)

(End of Clause)

⁽b) Within 30 calendar days after the Government receives the first article, the Contracting Officer shall notify the Contractor, in writing, of the conditional approval, approval, or disapproval of the first article.***

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 26 of 41

REPRINT

Name of Offeror or Contractor:

52 217-6 T - 74

EVALUATED OPTION FOR INCREASED QUANTITY

MAR / 1989

- a. This solicitation includes an evaluated option (See Section M).
- b. The Government reserves the right to increase the quantity of item(s) 0001 by a quantity of up to and including but not exceeding 350 percent as an evaluated option at the price(s) quoted below.
- c. If the Contractor does not quote a price hereunder, the lowest price offered/bid in the Schedule for item(s) 0001 shall be the price used for evaluation/award of any option quantities. All evaluation factors identified in the solicitation, except F.O.B. origin transportation costs, will be applied to the option quantity for evaluation purposes.
- d. The Contracting Officer may exercise the evaluated option for FY 05 at any time after the award of the contract until 30 September 2005 by giving written notice to the Contractor.
- e. Delivery of the items added by exercise of this option shall continue immediately after, and at the same rate as delivery of like items called for under the contract, unless the parties agree otherwise.
 - f. Subject to the limitations contained in this clause, the Government may exercise this option on one or more occasions.
 - g. Offered Unit Prices for the Option Quantities are:

Unit Price

Evaluated Option (F.O.B. Origin)

__ CLIN 0001 (FY 05)

Varying prices may be offered for the option quantities actually ordered and the dates when ordered. In as much as the unit price for the basic quantity may contain starting, load, testing, tooling, transportation or other costs not applicable to option quantities, offerors are requested to take these factors into consideration while setting forth the unit price(s) for the option quantities. The option price is expected (but not required) to be lower than the unit price for the initial quantity.

(End of Clause)

(IF6080)

I-75 52.246-17 WARRANTY OF SUPPLIES OF A NONCOMPLEX NATURE

MAY/2001

(b) Contractor's obligations. (1) Notwithstanding inspection and acceptance by the Government of supplies furnished under this contract, or any condition of this contract concerning the conclusiveness thereof, the Contractor warrants that for 1095 days after acceptance --

(c) Remedies available to the Government. (1) The Contracting Officer shall give written notice to the Contractor of any breach of warranties in paragraph (b)(1) of this clause within 120 days after discovery of the defect(s).

- (d) Whenever a request for waiver, deviation, or other change to a requirement in the contract is approved, Contractor responsibilities arising out provisions of this clause are relieved only to the extent of the terms and conditions specified in the
 - (e) For purpose of identifying warranted material to facilities receiving it, the following instructions will apply:
- (1) For a quantity of warranted material which has been accepted at origin by the Government, the pertinent DD Form 250 (and the pertinent Ammunition Data Card if the card is contractually required) shall bear the following annotation: "The warranty period of the quantity stated hereon of (enter the item serial/lot number(s) as applicable) begins on (enter the date of acceptance of quantity) and ends on (enter the date of the end of the warranty period for quantity)".

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 27 of 41

REPRINT

Name of Offeror or Contractor:

(2) For a quantity of warranted material which has not been accepted at origin by the Government, the pertinent DD Form 250 (and the pertinent Ammunition Data Card if the card is contractually required) shall bear the following annotation: "The warranty period for the quantity stated hereon of (enter item serial/lot number(s) begins on the date of the acceptance of the lot and ends (enter the length of warranty period) days later."

(End of Clause)

(IF6070)

I-76 252.225-7027

RESTRICTION ON CONTINGENT FEES FOR FOREIGN MILITARY SALES

MAR/1998

DFARS

- (b) For foreign military sales, unless the contingent fees have been identified and payment approved in writing by the foreign customer before contract award, the following contingent fees are unallowable under this contract:
 - (1) For sales to the Government(s) of Saudi Arabia , contingent fees in any amount.
- (2) For sales to Governments not listed in paragraph (b)(1) of this clause, contingent fees exceeding \$50,000 per foreign military sale case.

(End of clause)

(IA6707)

I-77 52.252-6

AUTHORIZED DEVIATIONS IN CLAUSES

APR/1984

- (a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of ''(DEVIATION)'' after the date of the clause.
- (b) The use in this solicitation or contract of any DOD FAR SUPPLEMENT (48 CFR Chapter 2) clause with an authorized deviation is indicated by the addition of ''(DEVIATION)'' after the name of the regulation.

(End of clause)

(IF7016)

I-78 29.303(C)

CALIFORNIA SALES AND USE TAX NOTICE (AL 92-1)

MAY/1992

(End of clause)

(IF7002)

I-79 252.211-7005 DFARS

SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS

MAR/1999

- (a) Definition. "SPI process," as used in this clause, means a management or manufacturing process that has been accepted previously by the Department of Defense under the Single Process Initiative (SPI) for use in lieu of a specific military or Federal specification or standard at specific facilities. Under SPI, these processes are reviewed and accepted by a Management Council, which includes representatives from the Defense Contract Management Command, the Defense Contract Audit Agency, and the military departments.
- (b) Offerors are encouraged to propose SPI processes in lieu of military or Federal specifications and standards cited in the solicitation. A listing of SPI processes accepted at specific facilities is available via the Internet in Excel format at http://www.dcma.mil/onebook/7.0/7.2/7.2.6/reports/modified.xls.
- (c) An offeror proposing to use an SPI Process in lieu of military or Federal specifications or standards cited in the solicitation shall--
 - (1) Identify the specific military or Federal specification or standard for which the SPI process has been accepted,

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 28 of 41 REPRINT

Name of Offeror or Contractor:

- (2) Identify each facility at which the offeror proposes to use the specific SPI process in lieu of military or Federal specifications or standards cited in the solicitation;
 - (3) Identify the contract line items, subline items, components, or elements affected by the SPI process; and
- (4) If the proposed SPI process has been accepted at the facility at which it is proposed for use \, but is not yet listed at the Internet site specified in paragraph (b) of this clause, submit documentation of Department of Defense acceptance of the SPI process.
- (d) Absent a determination that an SPI process is not acceptable for this procurement, the Contractor shall use the following SPI processes in lieu of military or Federal specifications and standards:

(Offeror insert information for each SPI process)

SPI Process: _						
Facility:						
Military or Fe						
Affected Contra	act Line Item Nu	mber, Subline Ite	em Number, Component, or E	lement:		
				pecified for receipt of offers, tandards required by the solici		
(1) offer; but	May submit the	information requ	uired by paragraph (d) of	this clause to the Contracting	Officer prior to submissio	n of an
(2) offers.	Must submit the	information to th	ne contracting Officer at	least 10 working days prior to	the date specified for rec	eipt of
			(End of clause)			
(IA7015)						
I-80	252.243-7002 DFARS	REQUESTS FOR E	EQUITABLE ADJUSTMENT		MAR/1998	
acquisition th		ar, at the time o		e adjustment to contract terms ng certificate executed by an i		
	=	=	is made in good faith, an	d that the supporting data are d belief.		
			(Official's Name)			
			(OTTICIAL'S Name)			

(Title)

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 29 of 41 REPRINT

Name of Offeror or Contractor:

(IA7035)

I-81 52.201-4500

AUTHORITY OF GOVERNMENT REPRESENTATIVE

FEB/1993

OSC

AUTHORITY OF GOVERNMENT REPRESENTATIVE

52.201-4500 OSC

(FEB 1993)

The Contractor is advised that contract changes, such as engineering changes, will be authorized only by the Contracting Officer or his representative in accordance with the terms of the contract. No other Government representative, whether in the act of technical supervision or administration, is authorized to make any commitment to the Contractor or to instruct the Contractor to perform or terminate any work, or to incur any obligation. Project Engineers, Technical Supervisors and other groups are not authorized to make or otherwise direct changes which in any way affect the contractual relationship of the Government and the Contractor.

(End of clause)

(IS7025)

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 30 of 41 REPRINT

Name of Offeror or Contractor:

SECTION J - LIST OF ATTACHMENTS

List of			Number	
Addenda	Title	Date	of Pages	Transmitted By
Exhibit A	DD FORM 1423 - CONTRACT DATA REQUIREMENTS LIST (CDRL)			
Attachment 001	LIST OF GOVERNMENT FURNISHED MATERIAL (GFM)			
Attachment 002	DOCUMENT SUMMARY LIST			
Attachment 003	GUIDANCE ON DOCUMENTATION OF CDRL			
Attachment 004	ADDRESS CODE LIST			
Attachment 005	INSTRUCTIONS FOR COMPLETING DD 1423 CDRL			
Attachment 006	IOC FORM 714-3 "DEFENSE PRIORITIES & ALLOCATIONS"			
Attachment 007	IOC FORM 715-4 "LISTING OF GOVERNMENT OWNED PROPERTY"			
Attachment 008	SF LLL "DISCLOSURE OF LOBBYING ACTIVITIES"			
Attachment 009	SOW - GFM ACCOUNTABILITY			
Attachment 010	DATA DELIVERY DESCRIPTION - ECP			
Attachment 011	DATA DELIVERY DESCRIPTION - NOR			
Attachment 012	DATA DELIVERY DESCRIPTION - RFD			

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 31 of 41

Name of Offeror or Contractor:

SECTION K - REPRESENTATIONS, CERTIFICATIONS, AND OTHER STATEMENTS OF OFFERORS

For Local Clauses See: http://www.osc.army.mil/ac/aais/ioc/clauses/index.htm

The following Federal Acquisition Regulation (FAR), DoD FAR Supplement clauses and provisions, the full text of which will be made available upon request, are incorporated herein by reference with the same force and effect as if set forth in full text.

The text of the clauses incorporated by reference herein are available from the contract specialist indicated in block 7 of the Standard Form 33 or (as applicable) the contracting officer and will be furnished upon request. Other documents are available as indicated in the schedule.

Any company/individual wishing to purchase a copy of the Federal Acquisition Regulation (FAR), the Army FAR Supplement or the DOD FAR Supplement, may do so from the Superintendent of Documents, US Government Printing Office, Washington DC 20402.

(KA7001)

	Regulatory Cite	Title	Date
K-1	52.203-11	CERTIFICATION AND DISCLOSURE REGARDING PAYMENTS TO INFLUENCE CERTAIN	APR/1991
		FEDERAL TRANSACTIONS	
K-2	252.209-7001	DISCLOSURE OF OWNERSHIP OR CONTROL BY THE GOVERNMENT OF A TERRORIST	MAR/1998
	DFARS	COUNTRY	
K-3	52.219-1	SMALL BUSINESS PROGRAM REPRESENTATIONS	APR/2002

- (a)(1) The North American Industry Classification System (NAICs) code for this acquisition is -1- (insert NAICS code).
 - (2) The small business size standard is -2-(insert size standard).
- (3) The small business size standard for a concern which submits an offer in its own name, other than on a construction or service contract, but which proposes to furnish a product which it did not itself manufacture, is 500 employees.
 - (b) Representations.
 - (1) The offeror represents as part of its offer that it ___is, ___is not a small business concern.
- (2) (Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents, for general statistical purposes, that it __is, __is not a small disadvantaged business concern as defined in 13 CFR 124 1002
- (3) (Complete only if offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents as part of its offer that it ___is, ___is not a women-owned small business concern.
- (4) (Complete only if offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents as part of its offer that it is, is not a veteran-owned small business concern.
- (5) (Complete only if offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents as part of its offer that it is, is not a service-disabled veteran-owned small business concern.
- (6) [Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.] The offeror represents, as part of its offer, that-
- (i) It () is, () is not a HUBZone small business concern listed, on the date of this representation, on the List of Qualified HUBZone Small Business Concerns maintained by the Small Business Administration, and no material change in ownership and control, principal office, or HUBZone employee percentage has occurred since it was certified by the Small Business Administration in accordance with 13 CFR part 126; and
- (ii) It () is, () is not a joint venture that complies with the requirements of 13 CFR part 126, and the representation in paragraph (b)(6)(i) of this provision is accurate for the HUBZone small business concern or concerns that are participating in the joint venture. [The offeror shall enter the name or names of the HUBZone small business concern or concerns that are participating in the joint venture:

 .] Each HUBZone small business concern participating in the joint venture shall submit a separate signed copy of the HUBZone representation.
 - (c) Definitions. As used in this provision-

"Service-disabled veteran-owned small business concern"-

- (1) Means a small business concern-
- (i) Not less than 51 percent of which is owned by one or more service-disabled veterans or, in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more service-disabled veterans; and
- (ii) The management and daily business operations of which are controlled by one or more service-disabled veterans or, in the case of a veteran with permanent and severe disability, the spouse or permanent caregiver of such veteran.
- (2) Service-disabled veteran means a veteran, as definied in 38 U.S.C. 101(2), with a disability that is service-connected, as defined in 38 U.S.C. 101(16).

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 32 of 41 REPRINT

Name of Offeror or Contractor:

"Small business concern" means a concern, including its affiliates that is independently owned and operated, not dominant in the field of operation in which it is bidding on Government contracts, and qualified as a small business under the criteria in 13 CFR part 121 and the size standard in paragraph (a) of this provision.

"Veteran-owned small business concern" means a small business concern-

- (1) Not less than 51 percent of which is owned by one or more veterans (as defined at 38 U.S.C. 101(2)) or, in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; and
 - (2) The management and daily business operations of which are controlled by one or more veterans.

"Women-owned small business concern" means a small business concern-

- (1) That is at least 51 percent owned by one or more women; or, in the case of any publicly owned business, at least 51 percent of the stock of which is owned by one or more women; and
 - (2) Whose management and daily business operations are controlled by one or more women.
 - (d) Notice.
- (1) If this solicitation is for supplies and has been set aside, in whole or in part, for small business concerns, then the clause in this solicitation providing notice of the set-aside contains restrictions on the source of the end items to be furnished.
- (2) Under 15 U.S.C. 645(d), any person who misrepresents a firm's status as a small HUBZone small, small disadvantaged, or womenowned small business concern in order to obtain a contract to be awarded under the preference programs established pursutant to section 8(a), 8(d), or 15 of the Small Business Act or any other provision of Federal law that specifically references section 8(d) for a definition of program eligibility, shall0
 - (i) Be punished by imposition of fine, imprisonment, or both;
 - (ii) Be subject to administrative remedies, including suspension and debarment; and
 - (iii) Be ineligible for participation in programs conducted under the authority of the Act.

(End of provision)

(KF6003)

K-4 52.203-2 CERTIFICATE OF INDEPENDENT PRICE DETERMINATION

APR/1985

(b)(2)(i) Has been authorized, in writing, to act as agent for the following principals in certifying those principals have not participated, and will not participate in any action contrary to subparagraphs (a)(1) through (a)(3) above______(insert full name of person(s) in the offeror's organization responsible for determining the prices offered in this bid or proposal, and the title of his or her position in the offeror's organization);

(End of Provision)

(KF7005)

K-5 52.204-3 TAXPAYER IDENTIFICATION

OCT/1998

- (d) Taxpayer Identification Number (TIN).
- () TIN:
- () TIN has been applied for.
- () TIN is not required because
- () Offeror is a nonresident alien, foreign corporation or foreign partnership that does not have income effectively connected with the conduct of a trade or business in the U.S. and does not have an office or place of business or a fiscal paying agent in the U.S.;
- () Offeror is an agency or instrumentality of a foreign government;
- () Offeror is an agency or instrumentality of a Federal government; _
 - (e) Type of organization.
- () Sole proprietorship
- () Partnership
- () Corporate entity (not tax-exempt);

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 33 of 41 REPRINT

an

() Corporate entity (tax-exemy () Government entity (Federal			
() Foreign government			
() International organization () Other	per 26 CFR 1.6049-4;		
(f) Common Parent.			
() Name and TIN of common part Name:	ntrolled by a common parent as defined : ent:	in paragraph (a) of this provisio	n.
TIN:			
	(End of Provision)		
(KF7043)			
K-6 52.207-4 As prescribed in 7.203, inse	ECONOMIC PURCHASE QUANTITY - SUPPLIES the following provision:	S	AUG/1987
	to state an opinion on whether the quant is (are) economically advantageous to t		ds, proposals or quotes are
(b) Each offeror who beli-	eves that acquisitions in different quan	ntities would be more advantageou	s is invited to recommend an

	OFFEDOR DEGOMMENDATIONS		
	OFFEROR RECOMMENDATIONS		
ITEM	QUANTITY	PRICE QUOTATION	TOTAL

	(End of provision)		
(KF7003)			
K-7 52.209-5	CERTIFICATION REGARDING DEBARMENT, SU AND OTHER RESPONSIBILITY MATTERS	USPENSION, PROPOSED DEBARMENT,	DEC/2001
<pre>(a)(1) The Offeror certifies, (i) The Offeror and/or a</pre>	to the best of its knowledge and belief any of its Principals-	, that-	
are not ()			
agency;	proposed for debarment, or declared ine	eligible for the award of contrac	ts by any Federal
(B) Have () have not (),			
	ceding this offer, been convicted of or		
	nal offense in connection with obtaining ubcontract; violation of Federal or state		
	zlement, theft, forget, bribery, falsif:		
statements, tax evasion, or re-			
(C)Are ()			

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 34 of 41 REPRINT

Name of Offeror or Contractor:

Secretary of Labor.

offenses enumerated in paragraph (a)(1)(a)(1)(ii) The Offeror has ()	eriminally or civilly charged by a governmental en $(i)(B)$ of this provision.	atity with, commission of any of the
has not (), within a three-year period preceding the	nis offer, had one or more contracts terminated fo	or default by any Federal agency.
***	(End of Provision)	
(KF7033)		
K-8 52.215-6 PLACE	OF PERFORMANCE	OCT/1997
	ee performance of any contract resulting from this cilities located at a different address from the a to request for information.	
(b) If the offeror or respondent che the required information:	ck "intends" in paragraph (a) of this provision,	it shall insert in the following spaces
PLACE OF PERFORMANCE (STREET ADDRESS, CITY STATE, COUNTY, ZIP-CODE)	NAME AND ADDRESS OF OWNER AND OPERATOR OF THE PLANT OR FACILITY IF OTHER THAN OFFEROR OR RESPONDENT	
	(End of provision)	
(KF7035)		
K-9 52.222-22 PREVIO	OUS CONTRACTS AND COMPLIANCE REPORTS	FEB/1999
<pre>(a) It () has, () has not par this solicitation;</pre>	ticipated in a previous contract or subcontract s	subject either to the Equal Opportunity clause
(b) It () has, () has not, fi	led all required compliance reports; and	
(c) Representations indicating submiss awards.	sion of required compliance reports, signed by sub	ocontractors, will be obtained before subcontra
	(End of provision)	
(KF7019)		
K-10 52.222-25 AFFIRM	MATIVE ACTION COMPLIANCE	APR/1984
() has developed and has on file, () has not developed and does not have	re on file,	
at each establishment, affirmative acti 2), or	on programs required by the rules and regulations	s of the Secretary of Labor (41 CFR 60-1 and 60
(b) it		

() has not previously had contracts subject to the written affirmative action programs requirement of the rules and regulations of the

	Reference No. of Document Being Continued		Page 35 of 41
CONTINUATION SHEET	PIIN/SIIN W52P1J-04-R-0117	MOD/AMD	REPRINT
Name of Offeror or Contractor:			
	(End of provision)		
KF7020)			
K-11 252.247-7022 REPRESEN DFARS	TATION OF EXTENT OF TRANSPORTATION BY SEA		AUG/1992
(b) Representation.			
The Offeror represents that it-	-		
Does anticipate that resulting from this solicitation.	supplies will be transported by sea in the	he performance of any	y contract or subcontr
Does not anticipate the contract of the c	nat supplies will be transported by sea in	n the performance of	any contract or subco

(End of provision)

(KA7500)

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 36 of 41 REPRINT

Name of Offeror or Contractor:

SECTION L - INSTRUCTIONS, CONDITIONS, AND NOTICES TO OFFERORS

For Local Clauses See: http://www.osc.army.mil/ac/aais/ioc/clauses/index.htm

The following Federal Acquisition Regulation (FAR), DoD FAR Supplement clauses and provisions, the full text of which will be made available upon request, are incorporated herein by reference with the same force and effect as if set forth in full text.

The text of the clauses incorporated by reference herein are available from the contract specialist indicated in block 7 of the Standard Form 33 or (as applicable) the contracting officer and will be furnished upon request. Other documents are available as indicated in the schedule.

Any company/individual wishing to purchase a copy of the Federal Acquisition Regulation (FAR), the Army FAR Supplement or the DOD FAR Supplement, may do so from the Superintendent of Documents, US Government Printing Office, Washington DC 20402.
(LA7001)

	Regulatory Cite	Title	Date
L-1	52.204-6	DATA UNIVERSAL NUMBERING SYSTEM (DUNS) NUMBER	OCT/2003
L-2	52.211-2	AVAILABILITY OF SPECIFICATIONS LISTED IN THE DOD INDEX OF	DEC/2003
		SPECIFICATIONS AND STANDARDS (DODISS) AND DESCRIPTIONS LISTED IN THE	
		ACQUISITION MANAGEMENT SYSTEMS AND DATA REQUIREMENTS CONTROL LIST,	
		DOD 5010.12-L	
L-3	52.214-34	SUBMISSION OF OFFERS IN THE ENGLISH LANGUAGE	APR/1991
L-4	52.215-1	INSTRUCTIONS TO OFFERORSCOMPETITIVE ACQUISITIONS	JAN/2004
L-5	252.206-7000	DOMESTIC SOURCE RESTRICTION	DEC/1991
	DFARS		
L-6		*** THIS REFERENCE (LS0100) IS NO LONGER VALID ***	
L-7	52.211-14	NOTICE OF PRIORITY RATING FOR NATIONAL DEFENSE USE	SEP/1990

Any contract awarded as a result of this solicitation will be a DO rated order certified for national defense use under the Defense Priorities and Allocations System (DPAS)(15 CFR 700), and the Contractor will be required to follow all of the requirements of this regulation.

(End of Provision)

(LF6019)

L-8 52.216-1 TYPE OF CONTRACT

APR/1984

The Government contemplates award of a firm fixed price type contract resulting from this solicitation.

(End of Provision) (LF6008)

L-9 52.233-2 SERVICE OF PROTEST

AUG/1996

- (a) Protests, as defined in section 33.101 of the Federal Acquisition Regulation, that are filed directly with an agency, and copies of any protests that are filed with the General Accounting Office (GAO), shall be served on the Contracting Officer (addressed as follows) by obtaining written and dated acknowledgment of receipt from Norman Brown, AMSFS-CCA-R, Rock Island Arsenal, Rock Island, IL 61299-6000.
 - (b) The copy of any protest shall be received in the office designated above within one day of filing a protest with the GAO.

(End of Provision)

(LF6021)

L-10 52.211-4510 PARTNERING

AUG/2001

***The principal government representatives for this effort will be Mitzi Wagner, Contract Specialist and Norm Brown, Contracting

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 37 of 41

REPRINT

Name of Offeror or Contractor:

Officer.

(End of Provision)

(LM6100)

L-11 52.252-5

AUTHORIZED DEVIATIONS IN PROVISIONS

APR/1984

- (a) The use in this solicitation of any Federal Acquisition Regulation (48 CFR Chapter 1) provision with an authorized deviation is indicated by the addition of ''(DEVIATION)'' after the date of the clause.
- (b) The use in this solicitation of any DOD FAR SUPPLEMENT (48 CFR Chapter 2) provision with an authorized deviation is indicated by the addition of ''(DEVIATION)'' after the name of the regulation.

(End of provision)

(LF7015)

L-12 47.304-1(B)

F.O.B. POINT (RFPS)

SEP/1995

Offers are requested to be submitted on an F.O.B. basis as set forth in Section B and/or F.

(End of Provision)

(LF7007)

L-13 15.403-5(A)

COST DATA BREAKDOWN

OCT/1997

(End of Provision)

(LF7012)

T₁=14 AMC

AMC-LEVEL PROTEST PROGRAM

DEC/2000

If you have complaints about this procurement, it is preferable that you first attempt to resolve those concerns with the responsible contracting officer. However, you can also protest to Headquarters, AMC. The HQ, AMC-Level Protest Program is intended to encourage interested parties to seek resolution of their concerns within AMC as an Alternative Dispute Resolution forum, rather than filing a protest with the General Accounting Office (GAO) or other external forum. Contract award or performance is suspended during the protest to the same extent, and within the same time periods, as if filed at the GAO. The AMC protest decision goal is to resolve protests within 20 working days from filing. To be timely, protests must be filed within the periods specified in FAR 33.103. Send protests (other than protests to the contracting officer) to:

HQ Army Materiel Command

Office of Command Counsel ATTN: AMCCC-PL

5001 Eisenhower Avenue Alexandria, VA 22333-0001

Facsimile number (703) 617-4999/5680

Voice Number (703) 617-8176

The AMC-level protest procedures are found at:

http://amc.army.mil/amc/cc/protest.html

If Internet access is not available contact the contracting officer or HQ, AMC to obtain the AMC-level Protest Procedures.

(End of provision)

(LM7010)

L-15 52.212-4501

OSC

ELECTRONIC AWARD NOTICE

APR/2001

1. Any contract awarded as a result of this solicitation will be posted to the Electronic Document Access (EDA) system website, http://eda.ogden.disa.mil/, and paper copies will not be distributed. This is a material condition of the solicitation and by submission of a bid or proposal, the vendor agrees to accept an electronic award transmitted in the manner described above. In order to obtain an electronic copy of the award, you must be registered in the EDA system. Guidance/instructions for registration can be obtained at the above website.

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 38 of 41

Name of Offeror or Contractor:

2. Notice of award to the contractor receiving the award will be issued only via electronic mail. Vendors who wish to be notified if they receive an award as a result of this solicitation must provide their electronic mail address in the space provided below. If the vendor fails to provide an electronic mail address, then a separate notice of award will not be provided and it shall be the sole responsibility of the vendor to periodically check the Federal Business Opportunities (FedBizOpps) - FBO Synopsis/Award Search website http://www.fedbizopps.gov/or the Army Single Face to industry (ASFI)/Procurement Notifications website http://acquisition.army.mil to determine if he/she has received an award. In this event, the vendor's failure to check FEDBIZOPPS or the ASFI in a timely manner shall not be an excuse for failure to perform or grounds for a delivery schedule extension.

3. Notice of award to unsuccessful offerors shall be issued only via electronic mail from the Contracting Office or via the FedBizOpps/Vendor Notification feature. Vendors who wish to receive an electronic mail notice if they are unsuccessful must provide an electronic mail address in the space provided below. If the vendor fails to provide an electronic mail address, then a separate notice will not be provided, and it shall be the sole responsibility of the vendor to periodically check the ASFI/Procurement Notifications or the FedBizOpps/Award Notification to determine if an award has been made. In this event, the vendor's failure to check these sites to determine if an award has been made shall not constitute grounds for an extension of any protest period allowed by regulation.

VENDOR'S ELECTRONIC MAIL (EMAIL) ADDRESS:

-1-

(End of provision)

(LS7100)

L-16 52.214-7 LOCAL HAND-DELIVERED BIDS, QUOTES, OR PROPOSALS

MAR/2004

Should you elect to hand-deliver your bid, quote, or proposal, you must first obtain a security badge/registration. Normally you obtain(ed) this security pass at the Visitor Control Center (Building 23) whose hours of operation are from 6:00 a.m. until 2:30 p.m. CT and which is/was accessible via the Moline entrance gate only. Beginning on April 5, 2004, major reconfiguration of the Arsenal entrance at the Moline side of the island will commence, reducing access. The Visitor Center, currently in Building 23, will move on that date (05 April 2004) into temporary accommodations on the north side of the Clock Tower building in the Clock Tower parking lot. You now can ONLY access this Visitor Control Center from the Davenport gate. Their hours will remain the same, that is, from 6:00 a.m. until 2:30 p.m. CT. You must inform the Visitor Control Center attendant to call the POC identified in Block 10 of the SF33. If the POC is not reached, then the Visitor Control Center attendant should call local number 782-6895 to reach an alternate POC. If you use a delivery service, it is your responsibility to ensure that you provide these instructions to that service.

If you have a delivery later than 2:30 p.m. CT, advise the carrier to have the Police Officer at the Moline entrance gate call the aforementioned POC identified in Block 10 of the SF33 so a visitor decal can be issued to enter the Arsenal. This POC can then meet the carrier outside his or her building. If the carrier needs to enter the building, he or she is to come to Police headquarters, Building 225, to be issued a badge as a badge cannot be issued out at the gate after 2:30 p.m. CT.

In the event this solicitation is an Invitation for Bids, reference FAR 52.214-7, "Late Submissions, Modifications, and Withdrawal of Bids" (Nov 1999). Conversely, if this solicitation is either a Request for Quotations or Request for Proposals, reference FAR 52.215-1, "Instructions to Offerors - Competitive Acquisitions."

(End of provision)

(LS7003)

L-17 52.215-4501

ARSENALS AS SUBCONTRACTORS

JUN/2000

This solicitation is open to competition between Department of Defense activities and private firms. Under the authority of 10 U.S.C. 2208(j), applicable working capital funded facilities are available as potential subcontractors.

(End of provision)

(LS7020)

L-18 52.222-1100

10 U.S.C. 4543 PILOT PROGRAM

FEB/2003

LOCAL

Congressional language in Section 141 of the 1998 Defense Authorization Act (10 U.S.C. 4543 Pilot Program) allows "not more than three Army Industrial facilities" to sell manufactured articles and services in support of DoD weapons systems without regard to availability

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 39 of 41 REPRINT

Name of Offeror or Contractor:

from domestic sources. The three Army industrial facilities in this program are McAlester Army Ammunition Plant, McAlester, OK; Rock Island, Rock Island, IL; and Watervliet Arsenal, Watervliet, NY.

Theses facilities cannot submit offers as the prime contractor on this solicitation, but in accordance with the above-described pilot program can act as a subcontractor to potential prime contractors when the statutory requirements (10 U.S.C. 4543) are met.

If you are interested in obtaining information about their capabilities, please contact the following:

McAlester Army Ammunition Plant Mr. Paul McDaniel, Attn: JMCMC-MO McAlester, Oklahoma 74501-9002 (918) 420-6452 mcdanpd@mcalestr-emh3.army.mil

Rock Island Arsenal Mr. William Peiffer, Attn: SOSRI-AP Rock Island, Illinois 61299-5000 (309) 782-5178/4479 peifferw@ria.army.mil

Watervliet Arsenal Mr. Ed McCarthy, Attn: AMSTA-WV-ODP Watervliet, New York 12189-4050 (518) 266-5052 emccarthy@wva.army.mil

(End of clause)

(LS7010)

L-19 15.503 LOCAL DISCLOSURE OF UNIT PRICES

FEB/2004

Unless the offeror notifies the contracting officer, prior to submission of its initial proposal, of an objection to disclosure of its unit price, it is the Government's intent to publicly release (which would include, but is not limited to, a public award synopsis, contractor debrief, procurement history web posting, or Freedom of Information Act (FOIA) request) the unit price(s) stated in the contract awarded under this solicitation. Any objection must be submitted in writing, providing a detailed explanation of how release of the awarded unit price would result in a substantial competitive harm to the contractor. Objections will be reviewed to determine whether harm has been substantiated. Failure to timely notify the contracting officer waives any objection to disclosure of the unit price. A "unit price" is defined as the specified amount to be paid by the Government for the goods or services stated per unit, contract line item, or separately identified contract deliverable. The term "unit price" does not include any information on how the unit price was determined. This constitutes notification pursuant to Executive Order 12600.

(End of provision)

(LS7001)

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 40 of 41 REPRINT

Name of Offeror or Contractor:

SECTION M - EVALUATION FACTORS FOR AWARD

For Local Clauses See: http://www.osc.army.mil/ac/aais/ioc/clauses/index.htm

The following Federal Acquisition Regulation (FAR), DoD FAR Supplement clauses and provisions, the full text of which will be made available upon request, are incorporated herein by reference with the same force and effect as if set forth in full text.

The text of the clauses incorporated by reference herein are available from the contract specialist indicated in block 7 of the Standard Form 33 or (as applicable) the contracting officer and will be furnished upon request. Other documents are available as indicated in the schedule.

Any company/individual wishing to purchase a copy of the Federal Acquisition Regulation (FAR), the Army FAR Supplement or the DOD FAR Supplement, may do so from the Superintendent of Documents, US Government Printing Office, Washington DC 20402.

MA7001

	Regulatory Cite	Title	Date
M-1	52.217-5	EVALUATION OF OPTIONS	JUL/1990
M-2	52.232-15	PROGRESS PAYMENTS NOT INCLUDED	APR/1984
M-3	52.245-4519	EVALUATION PROCEDURES FOR USE OF GOVERNMENT-OWNED PRODUCTION AND	AUG/1993

- (a) In accordance with FAR 45.201(a), the Government shall, to the maximum extent practical eliminate the competitive advantage accruing to a contractor possessing Government production and research property.
- (b) If the offeror plans to use any item of Government production and research property in possession of the offeror or his proposed subcontractors under a facilities contract or other agreement with the Government independent of this solicitation, the offeror shall so indicate by checking the applicable box(es) below and by identifying such facilities contract or other agreement under which the property is held.

_	_Offer is predicated on use of Government property in offeror's possession.
_	_Offer is predicated on use of Government property in offeror's proposed subcontracts of vendors.
	Identification of facilities contract or other agreement under which such property is held!
	Type of Contract or Agreement:
	Number and Date:
	Cognizant Government Agency (including address):

- (c) Offeror is required to submit with his offer:
- (1) The written permission of the Contracting Officer having cognizance over the property for use of that property, and whether such use will be on a rental or rent-free basis.
- (2) A list or description of all Government production and research property which the offeror or his anticipated subcontractors propose to use on a rent-free basis. AMCCOM Form 71-R or equivalent will be used.
- (d) To eliminate the competitive advantage an evaluation factor shall be added to each offer which is predicated on the use of the above detailed existing Government production and research property.
- (e) For rent-free use of Government-owned production and research property, such use shall be evaluated by adding to the price of the item(s) at the rates set forth in FAR 52.245-9 for each month of the proposed production period. Where both rental use and rent-free use will occur during the same production period, the rent and the evaluation in lieu of rent-free use will be computed in accordance with the formula for proration set forth in the Use and Charges clause, FAR 52.245-9.
- (f) The months that will be used for the purpose of the evaluation will be the period computed in months set forth by the offeror: ___months (this period shall include the first, last, and all intervening months). The Contractor will be liable to pay rent for use of any Government-owned property which exceeds the time specified in this clause. If the bidder/offeror fails to specify the number of months in the blank provided, the delivery schedule will be used to determine the number of months of rent free use required through the month scheduled for final delivery.

CON	JTIN	TAT	ION	SHEET
				17111111

Reference No. of Document Being Continued

PIIN/SIIN W52P1J-04-R-0117

MOD/AMD

Page 41 of 41 REPRINT

Name of Offeror or Contractor:

(g) The Government shall compute the use-evaluation factor, per-unit-procured, in accordance with the following formula:

TxRxPxS = C

- T: Total acquisition cost of facilities (including, if paid by the Government, cost of transportation and installation as well as any cost expended to enhance the condition of the machine).
 - R: Rental rate.
 - P: Production period (months).
 - Q: Quantity of items to be procured.
 - S: Pro rata share, if applicable.
 - C: Evaluation factor to be added to unit price.
- (h) This evaluation procedure shall not be applicable to any item or items of Government property held by the offeror under a valid lease or rental arrangement with the Government wherein the offeror is granted right of usage of such property and must pay a rental thereon for the entire leasehold/rental period irrespective of actual usage.
- (i) If Government production and research property is being used on other work under one or more existing contracts for which use has been authorized, the evaluation factor shall be determined by prorating the rent between the proposed contract and such other work. The pro-rata share applicable to a proposed contract shall be determined by multiplying the full rental charge for use of Government production and research property for the period for which rent-free use is requested by a fraction, the numerator of which is the amount of use of such property requested by the contractor under this proposed contract and the denominator of which is the sum of the previous authorized use of the property by the contractor for the period and the use requested under the proposed contract. The Contractor must indicate in it's bid offer if a pro-rata share is applicable for this procurement.
 - (j) Special considerations relating to use of Government-owned facilities and special tooling by subcontractors.
- (1) Evaluation factors applied to prime contractor's offers will be the same for both proposed prime contractor's and subcontractor's use of Government-owned property, including evaluation rates and production period.
- (2) In the event that any prospective subcontractor desiring use of Government property pursuant to this provision refuses to quote a price to any prospective prime contractor or refuses to quote on an equal basis to all prospective prime contractors, the Government reserves the right to:
 - (i) Refuse to authorize the subcontractors use of such property, or;
- (ii) Evaluate 100% of the acquisition cost (including cost of transportation, and installation, and enhancement paid by the Government) of such property against the offer of the prime contractor proposing to use such subcontractor.

(End of provision)

(MS7005)